Sliding table saw

CASADEI Xenia 60/26 A

With high quality equipment for top quality work results

Article number
5223503

Brand
Holzkraft CASADEI



Availability
No stock available
Information:
Next availability
Unknown

Catalog directory
Woodworking machinery » Circular saw / Sliding table saws » Sliding table saws » CASADEI Xenia 60

Purchase
Minimum 1 pc(s).

Delivery content

- Parallelogram blade guard
- Boom with roll of material
- Crosscut with 2 hinged stops
- Saw-rip fence, hinged
- Sliding slides 2600 or 3200 or 3800 mm
- table extension
- eccentric clamping
- Handle for sliding carriage
- Scoring unit
- table extension
- Automatic star-delta starting for main motor

Shipping informations

Packaging Metrics		Weights		Delivery		Other	
Length	n/a	Gross	n/a	Delivery	Carrier	DualUse	✖
Width	n/a	Net	n/a	Content	1 pc(s).	SCIP	n/a
Height	n/a					SVHC	No

Root data

Country of origin	EAN	Custom number	Quantity unit
Italy	4036351214366	84659120	pc(s).

© 2024 Stürmer Maschinen GmbH

MADE IN ITALY

Description

- Stable steel gray cast iron construction
- Large contact surfaces thanks to standard table extension and widening
- Gray cast iron saw table
- Laterally swiveling blade deflection protection with integrated extraction nozzle
- Angle-adjustable crosscut fence, extendable up to 3200 mm, with two hinged stops
- Boom with roll of material
- Standard with three speeds
- Scoring unit with separate scoring motor
- High-performance industrial engines
- Cutting width with rip fence 1270 mm
- Automatic engine brake for main saw blade

Casadei Xenia 60 A version:

- With 4-axis electronic positioning for raising / lowering and swiveling the saw blade unit and lifting / adjusting the scoring unit
- Possibility to save up to 300 programs

Aluminum sliding carriage

- Equipped with a million times proven ball contact system
- Permanently smooth-running
- Dust- and dirt-resistant due to minimal contact point between ball and trapezoidal rail
- 10-year HOLZKRAFT warranty on guideway wear

Saw unit with swivel segment guide

- Durable precision thanks to double swivel segment guide
- 6 years of HOLZKRAFT warranty on wear of swivel segments

Significant Features





Media informations







Technical data

Extraction port			
Extraction port diameter bottom	120 mm	Saw blade protection extraction port diameter	100 mm
Electrical Data			
Supply voltage	400 V	Mains frequency	50 Hz
Scoring blade motor output	0.9 kW	Drive motor output	9.0 kW
Duty type drive motor	S6	Duty cycle drive motor	40 %
Sliding carriage and table			
Trimming frame length	3200 mm		
Circular saw unit			
Max. cutting width with rip fence	1500 mm	Max. cross cut width left from saw blade	3200 mm
Saw blade angle	90 – 45 °	Max. cutting height 90°	140 mm
Max. cutting height 45°	99 mm	Explanation to: Max. cutting height	Independent of the scoring unit

(Main) saw blade diameter	400 mm	Explanation to: (Main) saw blade diameter	Independent of the scoring unit
(Main) saw blade speed	3000 - 4000 - 5000 min^{-1}		
Pre-scoring unit			
Diameter scoring saw blade	120 mm	Scoring saw blade speed	8500 min^{-1}

Equipment

Scoring saw unit	✔	Anodised aluminium sliding sizing carriage	✔
Handle for sliding carriage	✔	Material roll on claming frame	✔
Stops	Professional folding stops	Clamp sleigh	✔
Eccentric clamp	✔	Table broadening	✔
Table lengthening	✔	Saw blade pendulum protection	✔

Options equipment



Swivel control panel

holzkraft Holzbearbeitungsmaschinen

Article number 5256006

Availability No stock available
Information:
Next availability
Unknown

Purchase Minimum 1 pc(s).

Price informations Ask for price



Inverter
for speed control from 2700-6000 rpm

holzkraft Holzbearbeitungsmaschinen

Article number 5256120

Availability No stock available
Information:
Next availability
Unknown

Purchase Minimum 1 pc(s).

Price informations Ask for price



Motor power
9.0 kW, 50 Hz (S6-40%)

holzkraft Holzbearbeitungsmaschinen

Article number 5256121

Availability No stock available
Information:
Next availability
Unknown

Purchase Minimum 1 pc(s).

Price informations Ask for price



Electronically positionable rip fence

holzkraft Holzbearbeitungsmaschinen

Article number 5256010

Availability No stock available
Information:
Next availability
Unknown

Purchase Minimum 1 pc(s).

Price informations Ask for price



On-off switch for main and scoring saw blade on sliding carriage

Article number	Availability	Purchase	Price informations
5256123	No stock available Information: Next availability Unknown	Minimum 1 pc(s).	Ask for price



Trimming frame with CompeX device

Article number	Availability	Purchase	Price informations
5256152	No stock available Information: Next availability Unknown	Minimum 1 pc(s).	

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.