

Woodbandsaw

HBS 633 S (IE3) Special offer set

In heavy professional design with saw band quick release system for the professional user

Article number ▼

5150063SET

Brand ▼

Holzskraft

Availability ▼

No stock available

Information:

Next availability

Expected on calendar week 02/2027

Catalog directory ▼

Woodworking machinery » Bandsaws »
HBS S

Purchase ▼

Minimum 1 pc(s).



Delivery content ▼

- 1x saw band wood 4600 x 10 x 0.5 mm; 4 tooth
- 1x saw band wood 4600 x 20 x 0.5 mm; 4 tooth
- 1x saw band wood 4600 x 25 x 0.5 mm; 4 tooth

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	1,150 mm	Gross	404 kg	Delivery	Carrier	DualUse	✗
Width	730 mm	Net	377.7 kg	Content	1 pc(s).	SCIP	n/a
Height	2,240 mm					SVHC	No

Root data ▼

Country of origin	EAN	Customs Tariff Number	Quantity unit
 Taiwan	4036351338826	84659110	pc(s).

Description ▼

- Heavy professional design with high dead weight for maximum smoothness Especially quiet and precise running thanks to torsion-free machine housing
- Large dimensioned cast iron saw table, one piece, swiveling from 0 ° to + 45 ° with ground and polished surface
- Patented table tilt device with handwheel and rack
- Sägebandschnellspannung
- Precision Sägebandrollenführung
- Large front rip fence
- Fast and precise cutting height adjustment via handwheel and rack with millimeter scale
- Safety switch for automatic shutdown when opening the door
- Large front rip fence
- Standard with angle stop
- Table tilt via rack and handwheel

Room amenities:

Quick release system

- Eccentric quick release lever
- The voltage setting is not changed
- With integrated saw band tension indicator

Cutting height adjustment

- Fast and precise cutting height adjustment via handwheel and rack with millimeter scale

laser device

- Standard with laser device for fast and precise display of the cutting line

Stable rip fence

- Rip fence made of gray cast iron
- With quick clamping and easy-to-read millimeter scale

Precision guide above

- Precision 3-reed saw band guide with guide rollers
- With fine adjustment

Precision guide below

- The bottom saw band guide is also equipped with precision guide rollers and fine adjustment

Display of saw blade tension

- Display of saw blade tension integrated in the machine frame for different saw blade widths
- Easy to read from the operator side

Patented professional saw table guide

- The heavy, solid gray cast iron saw table is easily and conveniently adjusted via a hand wheel rack guide
- The inclination is infinitely adjustable from 0 ° to 45 °

Saw table on double rocker mount

- The gray cast iron saw table is mounted on a double rocker mount.
- Easy and quick fixation of the set tilt angle via quick tension

angle stop

- Standard with angle stop
- Infinitely adjustable from -60° to $+60^{\circ}$
- Grid points at 0° , -45° and $+45^{\circ}$

Manufacturer

Stürmer Maschinen GmbH
 Dr.-Robert-Pfleger-Str. 26, 96103 Hallstadt, Germany
info@stuermer-maschinen.de

Media informations ▼





Cutting height adjustment

Fast and precise cutting height adjustment via hand wheel and gear rack with millimetre scale



Quick clamping system

- Eccentric quick clamping lever
- The basic tension setting is not changed
- With integrated saw blade tension indicator



Patented professional saw table guide

- The heavy, massive saw table made of cast iron is easily and comfortably moved around the machine. adjusted via a handwheel rack and pinion guide
- inclination infinitely variable from 0° to 45°



Laser device

Standard with laser device for fast and precise display of the cutting line




Rip fence

- Stable rip fence made of grey cast iron
- With quick clamping and easily readable millimetre scale



Precision guide on top

- High-quality saw blade guide
- With fine adjustment



Precision guide below

The lower saw blade guide is also equipped with precision guide rollers and fine adjustment



saw blade tension

- Display of saw blade tension for different saw blade widths integrated in the machine frame
- Easy to read from the operator's side



Double rocker support

- The cast iron saw table is mounted on a double rocker support
- Simple and fast fixing of the set tilt angle via quick release



angle stop

- standard with angle stop
- Continuously adjustable from -60° to $+60^\circ$
- grid points at 0° , -45° and $+45^\circ$

Technical data ▼

Dimensions and weights				
Length (product) approx.		1190 mm	Width/depth (product) approx.	820 mm
Height (product) approx.		2063 mm	Net weight approx.	377.7 kg
Extraction port				
Extraction port diameter		2 x 120 mm		
Work top(s)				
Work table length		830 mm	Work table width	600 mm
Work table height		830 mm	Work table pivot	0 – 45 °
Work table pivot explanation		For safety reasons, a holding device / stop must be fitted from 20° to prevent the wood from slipping!		
Electrical Data				
Supply voltage		400 V	Mains frequency	50 Hz
Delivery power		4.1 kW		
Cutting ranges				
Max. cutting height 90°		400 mm	Max. cutting width with stop	570 mm
Max. cutting width without stop		610 mm		
Saw band				
Saw band speed(s)		1615 m/min	Flywheel diameter	630 mm
Saw band length		4600 mm	Saw band guide	Precision guide top and bottom

Accessories ▼



Leveling plate SE 1

Article number ▼
3381012

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 20 pc(s).

Price information ▼

OPTIMUM®
MASCHINEN - GERMANY



Saw band 4600 x 10 x 0,5 mm


Article number ▼
5160631

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price information ▼

holzkraft®
Holzbearbeitungsmaschinen



Saw band 4600 x 16 x 0,5 mm


Article number ▼
5160632

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price information ▼

holzkraft®
Holzbearbeitungsmaschinen



Saw band 4600 x 20 x 0,5 mm

Article number ▼
5160633

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price information ▼

holzkraft®
Holzbearbeitungsmaschinen



Saw band 4600 x 25 x 0,5 mm

Article number ▼
5160634

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price information ▼

holzkraft®
Holzbearbeitungsmaschinen



Saw band 4600 x 30 x 0,6 mm

Article number ▼
5160635

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price information ▼

holzkraft®
Holzbearbeitungsmaschinen



Saw band set SBASET4600MM3T

Article number ▼
5160636

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price information ▼

holzkraft®
Holzbearbeitungsmaschinen



Saw band

4598 x 36 x 0,9 mm T 22 mm



Article number ▼
5160637

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Set article ▼



Woodbandsaw

HBS 633 S (IE3)



In heavy professional design with saw band quick release system for the professional user

Article number ▼
5150063

Availability ▼
No stock available
Information:
Next availability
Expected on
calendar week
02/2027

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw band set

SBASET4600MM3T



Article number ▼
5160636

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.