

Woodbandsaw

HBS 640 AS

Precision version for the professional with high cutting performance and many equipment options

Article number ▼

5152164

Brand ▼

Holzskraft

Availability ▼

In stock

Immediate delivery

Catalog directory ▼

Woodworking machinery » Bandsaws »

HBS AS 40

Purchase ▼

Minimum 1 pc(s).



Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	1,050 mm	Gross	323 kg	Delivery	Special transportation	DualUse	✗
Width	670 mm	Net	300 kg	Content	1 pc(s).	SCIP	n/a
Height	2,350 mm					SVHC	No

Root data ▼

Country of origin	EAN	Customs Tariff Number	Quantity unit
 Italy	4036351039082	84659110	pc(s).

Description ▼

- Heavy design with high dead weight for maximum running smoothness
- Particularly quiet and pretorsionally stiff machine housing
- Cast flywheels with rubber coating and cleaning brush
- 3-roller precision saw band guide as standard at top and bottom
- Large cast iron saw table, swivels from 0° to +15° with ground and polished surface
- Large cast-iron parallel fence with round rod guide, easilyguide, easily movable
- Saw blade tension indicator
- Precise cutting height adjustment overover toothed rack with millimetre scale
- Self-braking motor

Available on request

- Version with cutting height up to 1650 mm
- Other special versions

Table, motor and switch must be mounted on site


Manufacturer

Stürmer Maschinen GmbH

Dr.-Robert-Pfleger-Str. 26, 96103 Hallstadt, Germany

info@stuermer-maschinen.de

Media informations ▼



Precision top guide

- High quality saw blade guide
- Fine adjustable side and back guide with locking screw



Precision bottom guide

- High-quality saw blade guide
- Fine-adjustable side and back guide with locking screw



Saw band tension indicator

- Integrated in the machine frame display of the saw band tension for different band widths

Technical data ▼

Dimensions and weights			
Length (product) approx.	1050 mm	Width/depth (product) approx.	720 mm
Height (product) approx.	2180 mm	Net weight approx.	300 kg
Extraction port			
Extraction port diameter	2 x 120 mm		
Work top(s)			
Work table length	885 mm	Work table width	600 mm
Work table height	840 mm	Work table pivot	0 – 20 °
Electrical Data			
Supply voltage	400 V	Mains frequency	50 Hz
Delivery power	2,2 kW		
Cutting ranges			
Max. cutting height 90°	400 mm	Max. cutting width	620 mm
Saw band			
Saw band speed(s)	1630 m/min	Flywheel diameter	640 mm
Saw band length	4780 mm	Saw band length min.	4770 mm
Saw band length max.	4810 mm	Min. saw band strength	0.5 mm
Max. saw band strength	0.6 mm	Saw band guide	Precision guide top and bottom

Accessories ▼



Landing gear for HBS 640 AS




Article number ▼
5161048

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Miter stop small for HBS 540/640/740 AS



Article number ▼
5161045

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw band 4774 x 35 x 0.9 mm T 22 mm



Article number ▼
5160642

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Mitre stop large for HBS 540/640/740 AS




Article number ▼
5161046

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw band 4780 x 25 x 0.6 mm 3 tpi




Article number ▼
5160641

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Circle cutting and sanding device




Article number ▼
5161047

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Options equipment ▼



Motor power 4 kW



Article number ▼
5161041

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Reverse version of the operator side UAB-HBS640AS




Article number ▼
5161042

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Motor power 3 kW



Article number ▼
5161043

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.