

Woodbandsaw

HBS 840 AS

Precision version for the professional with high cutting performance and many equipment options

Article number ▼

5152184

Brand ▼

Holzskraft

Availability ▼

In stock

Immediate delivery

Catalog directory ▼

Woodworking machinery » Bandsaws »

HBS AS 40

Purchase ▼

Minimum 1 pc(s).



Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	2,780 mm	Gross	730 kg	Delivery	Carrier	DualUse	✗
Width	640 mm	Net	730 kg	Content	1 pc(s).	SCIP	n/a
Height	1,420 mm					SVHC	No

Root data ▼

Country of origin	EAN	Customs Tariff Number	Quantity unit
 Italy	4036351038597	84659110	pc(s).

Description ▼

- Heavy design with high dead weight for maximum running smoothness
- Particularly quiet and pretorsionally stiff machine housing
- Cast flywheels with rubber coating and cleaning brush
- 3-roller precision saw band guide as standard at top and bottom
- Large cast iron saw table, swivels from 0° to +15° with ground and polished surface
- Large cast-iron parallel fence with round rod guide, easilyguide, easily movable
- Saw blade tension indicator
- Precise cutting height adjustment overover toothed rack with millimetre scale
- Self-braking motor

Available on request

- Version with cutting height up to 1650 mm
- Other special versions

Table, motor and switch must be mounted on site

Manufacturer

Stürmer Maschinen GmbH

Dr.-Robert-Pfleger-Str. 26, 96103 Hallstadt, Germany


info@stuermer-maschinen.de

Media informations ▼



Precision top guide

- High quality saw blade guide
- Fine adjustable side and back guide with locking screw



Precision bottom guide

- High-quality saw blade guide
- Fine-adjustable side and back guide with locking screw




Saw band tension indicator

- Integrated in the machine frame display of the saw band tension for different band widths

Technical data ▼

Dimensions and weights			
Length (product) approx.	1410 mm	Width/depth (product) approx.	920 mm
Height (product) approx.	2650 mm	Net weight approx.	730 kg
Extraction port			
Extraction port diameter	2 x 140 mm		
Work top(s)			
Work table length	1160 mm	Work table width	800 mm
Work table height	1020 mm	Work table pivot	0 – 20 °
Electrical Data			
Supply voltage	400 V	Mains frequency	50 Hz
Delivery power	5.5 kW		
Cutting ranges			
Max. cutting height 90°	540 mm	Max. cutting width	820 mm
Saw band			
Saw band speed(s)	1630 m/min	Flywheel diameter	840 mm
Saw band length	6090 mm	Saw band length min.	6030 mm
Saw band length max.	6110 mm	Min. saw band strength	0.7 mm
Max. saw band strength	0.8 mm	Saw band guide	Precision guide top and bottom

Accessories ▼



Miter stop small for HBS 840/940 AS




Article number ▼
5161080

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Miter stop large for HBS 840/940 AS




Article number ▼
5161081

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Circle cutting and sanding device



Article number ▼
5161082

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw band 6090 x 30 x 0.7 mm 3 tpi



Article number ▼
5160841

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw band 6094 x 40 x 0.9 mm T 22 mm




Article number ▼
5160842

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Options equipment ▼



Motor power 7.35 kW



Article number ▼
5161072

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Table tilt device with rack TINVRZST-HBS840AS



Article number ▼
5161071

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Reverse version of the operator side UAB-HBS840AS



Article number ▼
5161076

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.