

Vertical panel saw

VPS 22-41 VR ED

Vertical panel saw with scoring unit, dust extraction and digital dimension display

Article number ▼

5601242

Brand ▼

Holzskraft

Availability ▼

No stock available

Information:

Next availability

Expected on calendar week 48/2026

Catalog directory ▼

Woodworking machinery » Special wood saws » Vertical panel saws » Vertical panel saw VPS

Purchase ▼

Minimum 1 pc(s).

Shipping informations ▼


Packaging Metrics		Weights		Delivery		Other	
Length	5,050 mm	Gross	850 kg	Delivery	Carrier	DualUse	✗
Width	1,700 mm	Net	750 kg	Content	1 pc(s).	SCIP	n/a
Height	3,100 mm					SVHC	No

Root data ▼

Country of origin	EAN	Customs Tariff Number	Quantity unit
 Turkey	4036351352884	84659120	pc(s).

Description ▼


- Smooth and ergonomic operation
- Modular welded machine frame, torsion-free and self-supporting
- Scoring device for tear-free cutting quality
- Automatic deflection of the slatted frame during the sawing process
- Continuous center workpiece support for maximum flexibility
- Easy switching between vertical and horizontal processing
- Digital dimension stop
- Pedal-liftable transport rollers for easy movement of heavy panels
- Durable and precise material support for a stable workpiece position
- Pneumatic locking of the saw carriage
- Large opening for changing saw blades
- Integrated lateral dust extraction
- Practical document holder on the control panel



Manufacturer

Stürmer Maschinen GmbH
Dr.-Robert-Pfleger-Str. 26, 96103 Hallstadt, Germany
info@stuermer-maschinen.de

Media informations ▼




Transport rollers

Easy movement of heavy panels thanks to liftable transport rollers, the precise material supports ensure a stable workpiece position during processing



Workpiece support

Continuous middle workpiece support with digital longitudinal stop for maximum precision



Saw unit

Powerful 4kW saw unit with scoring unit and 60 mm cutting depth



Deflecting slatted frame

Automatic deflection of the slatted frame during the sawing process and closed gaps in the panel support for more effective chip extraction



Dust extraction

Integrated lateral dust extraction for optimum extraction performance



Control panel

Clear control panel for easy handling



Handling


Quick and easy switching between vertical and horizontal machining for efficient work



Digital measuring stop



Integrated scoring saw blade for perfect cut edges



Technical data ▼


General features			
Max. cutting height	2200 mm	Max. cutting length	4100 mm
Cutting depth	60 mm	Saw blade diameter	250 mm
Saw blade speed	4800 min ⁻¹	Scoring blade diameter	80 mm
Scoring blade speed	8500 min ⁻¹	Number of stops	2 St
Sound pressure level	79.1 dB(A)		
Dimensions and weights			
Transport height max.	2800 mm	Length (product) approx.	5162 mm
Width/depth (product) approx.	1622 mm	Height (product) approx.	3096 mm
Net weight approx.	750 kg		

Extraction port			
Extraction duct diameter	100 mm	Number of extraction ducts	4
Min. extraction flow rate	1800 m³/h	Min. extraction speed	20 m/s
Electrical Data			
Drive motor output	4 kW	Supply voltage	400 V
Mains frequency	50 Hz		

Equipment ▼

Lower material support	Metal rollers	Evasive slatted frame	Automatic
Vertical measuring device	digital	Horizontal measuring device	digital
Panel positioning	manual	Locking the saw carriage	pneumatic

Accessories ▼



Saw blade

250 x 3.2/2.2 x 30 mm 80 TFZ L HP

Article number ▼
5260202

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Cutting flat tooth circular saw blade

KSB-ZF 250/18

Highest quality level especially for industrial applications on stationary machines

Article number ▼
5262518

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Cut-to-size alternating teeth circular saw blade

KSB-WZ 250/24

Article number ▼
5262524

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Edging and production cut circular saw blade

KSB-BF 250/42

Edging and production cutting circular saw blade with highest quality level especially for industrial applications on stationary machines

Article number ▼
5262542

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼





Circular saw blade set

250 mm

HOLZKRAFT sizing saw blades comply with the highest quality level especially for industrial applications on stationary machines



Article number ▼

5260250

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.