


Walker Rider Lawnmowers

ILLUSTRATED PARTS MANUAL

Deck and Carrier Frame Assemblies (36", 42", 48", 52", 56", 62" & 74")
(Covers Serial Numbers DX-67842 and on)



Effective Date:
08-01-03

P/N 5000-10
Price \$5.00

KEY TO ABBREVIATIONS USED IN THIS MANUAL

<i>Abbreviation</i>	<i>What it Represents</i>
° (Dimension)	Degrees (Angle)
" (Dimension)	inches
(-)	Negative (Polarity)
(+)	Positive (Polarity)
AT	All-Terrain
CCW	Counter-clockwise
Conn.	Connector
CW	Clockwise
D	Diameter
DGHS	Deck, Grass Handling System (number refers to size in inches)
DML	Deck, Mulching (number refers to size in inches)
DSD	Deck, Side Discharge (number refers to size in inches)
DU	Garlock (Bearing)
ESNA (Fastener)	Nylon Insert Locknut
FSC	Forward Speed Control
GA	Gauge
gal.	gallon
GHS	Grass Handling System
GR (Fastener)	Grade
HP	Horse Power
HT	Heat-Treated
ID	Identification or Inside Diameter
L	Length
LH	Left Hand (orientated with operator on seat)
LP	Low Profile
mm (Dimension)	millimeters
MS (Fastener)	Machine Screw
NS (as part number)	Item is not sold by Walker Manufacturing
OD	Outside Diameter
oz.	ounce
PFH (Fastener)	Phillips Flat Head
P/N	Part Number
PPH (Fastener)	Phillips Pan Head
PTH (Fastener)	Phillips Truss Head
PTO	Power Take-Off
QKS	Quick Slide
qt.	quart
RH	Right Hand (orientated with operator on seat)
SAE (Fastener)	Society of Automotive Engineers
SBH (Fastener)	Socket Button Head (Bolt)
SD	Side Discharge
SFH (Fastener)	Slotted Flat Head
SHC (Fastener)	Socket Head Cap
SHL (Fastener)	Shoulder (Bolt)
SM (Fastener)	Sheet Metal (Screw)
S/N	Serial Number
Spg	Spring
SQH (Fastener)	Square Head
SS (Fastener)	Stainless Steel
ST (Fastener)	Self-Tapping (Screw)
Term.	Terminal
V	Volts

NOTE: In some instances, combinations of abbreviations may be used (e.g. PPHMS - Phillips Pan Head Machine Screw).

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

ILLUSTRATED PARTS LIST

<i>Section of Mower Covered</i>	<i>Page</i>
Decals & Paint	
Deck Decals / Touch-Up Paint	2
Deck and Carrier Frame Assemblies	
36 Inch Complete Carrier Frame Assembly	4
DGHS36 Deck Assembly	6
DSD36 Deck Assembly	8
42 Inch Complete Carrier Frame Assembly	10
DGHS42 Deck Assembly	12
DSD42 Deck Assembly	14
DML42 Deck Assembly	16
48 Inch Complete Carrier Frame Assembly	18
DGHS48 Deck Assembly	20
DSD48 Deck Assembly	22
52 Inch Complete Carrier Frame Assembly	24
DSD52 Deck Assembly	26
Mulching Kit (For DSD52 Deck Assembly)	28
56 Inch Complete Carrier Frame Assembly	30
DSD56 Deck Assembly	32
62 Inch Complete Carrier Frame Assembly	34

<i>Section of Mower Covered</i>	<i>Page</i>
DSD62 Deck Assembly	36
74 Inch Complete Carrier Frame Assembly	38
DSD74 Deck Assembly	40
Maintenance	
Heavy Duty Blade	
Drive Components (GHS Models)	42
Heavy Duty Gear	
Drive Components (SD Models)	44
Deck Weldment Replacement Parts	46
Lubrication Points	48
Fastener Loctite® Application &	
Torque Instructions	50
Maintenance And Service Record Sheet	52
Deck / Tractor Compatibility Chart	52
Warranty	
Limited Warranty	53

DECK DECALS / TOUCH-UP PAINT

ITEM NO.	PART NO.	DESCRIPTION	LOCATION	NO. REQ'D. GHS	NO. REQ'D SD
DSD52 And DSD62 Deck Decals					
1	8653	Caution, Pivot Joint	Carrier Frame	0	2
2	8748	Cutting Height Adjustment	Footrest Pulley Guard	0	1
3	8746	Universal Joint Lube	Mount Bracket/PTO Guard	0	1
4	5846	Grease Fitting	Deck Cover Plate	0	3
5	5808-1	Danger, Rotating Blades	Cover Plate (one on each end)	0	2
6	8647	Danger, Tilt-Up	Carrier Frame	0	1
7	8653-1	Transport Warning	Deck Housing, Front	0	1
8	8732	Decal (52")	Deck Housing, Front	0	1
9	5809	Walker Mower Logo (3")	Carrier Frame, Front	0	1
10	8734	Drive Belt Routing	Underneath Deck Cover Plate	0	1
11	5848	Danger, Side Discharge Shield	Side Discharge Shield	0	1
12	5808	Danger, Rotating Blades (62" Deck)	Deck Housing (one on each end)	0	2
13	8750	Decal (62")	Deck Housing, Front	0	1
14	8749	Drive Belt Routing	Underneath Deck Cover Plate	0	1

36", 42", 48" & 56" Deck Decals

1	8653	Caution, Pivot Joint	Carrier Frame	2	2
4	5846	Grease Fitting	Deck Cover Plate	1	1
6	8647	Danger, Tilt-Up	Carrier Frame	1	1
7	8653-1	Transport Warning	Deck Housing, Front	0	1
9	5809	Walker Mower Logo (3")	Carrier Frame, Front	1	1
11	5848	Danger, Side Discharge Shield	Side Discharge Shield	0	1
12	5808	Danger, Rotating Blades	Deck Housing (one on each end)	2	2
15	6875	PTO Alignment Arrow	Universal Joint Shaft Assembly	1	1
16	5807-3	Cutting Height Adjustment	Gearbox Cover	1	1
17	5865	Blade Mounting Torque	Carrier Frame	1	1
18	6789	Decal (56")	Deck Housing, Front	0	1

DSD74 Deck Decals


1	8653	Caution, Pivot Joint	Carrier Frame	0	2
5	5808-1	Danger, Rotating Blades (52" Deck)	Deck Housing (one on each end)	0	2
6	8647	Danger, Tilt-Up	Carrier Frame	0	1
7	8653-1	Transport Warning	Deck Housing, Front	0	1
9	5809	Walker Mower Logo (3")	Carrier Frame, Front	0	1
11	5848	Danger, Side Discharge Shield	Side Discharge Shield	0	1
15	6875	PTO Alignment Arrow	Universal Joint Shaft Assembly	1	1
16	5807-3	Cutting Height Adjustment	Middle Gearbox Cover	1	1
17	5865	Blade Mounting Torque	Carrier Frame	1	1
19	7689	Decal (74")	Deck Housing, Front	0	1

Touch-Up Paint

20	5866	Touch-Up Paint, Yellow (12 oz. Aerosol)
----	------	---

NOTE: All parts requiring decals are shipped with decals applied.

DECK DECALS / TOUCH-UP PAINT




36 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 5710-4)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Fasteners			
1	5975-3	Cable Tie (50# x 7")	4	F012	3/8-16 Keps Nut		2
2	5744-1	Spring Clip Bracket	1	F014	3/8-16 ESNA Nut		2
3	5743-1	Spring Cover	2	F020	5/16-18 ESNA Nut		2
4	8667-10	Pivot Mount, LH/Adj.	1	F047	3/8-16 x 4-1/2 Hex Bolt		2
5	5830-3	Grease Fitting (45 Degree)	4	F055	5/8 SAE Washer		2
6	8667-20	Pivot Mount, RH/Adj.	1	F068	1/8 x 1 Cotter Pin		2
7	5743-4	Eyebolt (3/8-16 x 2-3/4)	2	F084	5/16 Wave Spring Washer		2
8	5743-6	Extension Spring (1-1/2 x 7-3/4)	2	F098	5/8-18 Slotted Hex Nut		2
Carrier Frame Components				F117	Retainer Ring		2
9	8674-11	Lever, Deck Lock, LH	1	F123	1" External Snap Ring		4
10	7406-1	Handle Grip (Red)	2	F166	Retainer Ring		4
11	8669	Lift Handle	1	F226	5/16-18 x 7/8 Hex Bolt		2
12	5748-10	Rubber Mat (1-1/2 x 6)	2	F317	3/16 x 1 Split Spring Pin		4
13	5740-2	Deck Pin Bushing (5/8)	4	F335	3/8-16 x 7/8 Set Screw, SS		2
14	5708-6	36" Carrier Frame	1	F336	3/8-16 Jam Nut		2
		(Includes Item # 12)		* Service Part Only			
	5708-1	36" Carrier Frame w/Forks	*	** May be ordered as a factory-installed option or as a kit for dealer installation. Contact your Walker dealer.			
		(Includes Items # 12, 21-23, 25, F055, F068 & F098)		NOTE: When installing Item # 8 on decks prior to S/N DX-62875, the swivel hook end should be attached to the deck carrier frame.			
15	8674-10	Lever, Deck Lock, RH	1				
16	5830	Grease Fitting	2				
Caster Wheel Components							
17	5714-7	Bearing Cap	4				
18	5714-5	Bearing, Caster Wheel	2				
19	5715-4	Caster Wheel, Pneu. (8 x 3.00-4)	2				
		(Includes Items # 5,17 & 18)					
	5715-10	Tire, Pneumatic (8 x 3.00-4)	*				
	5715-9	Tire Tube, Pneumatic (2.80/2.50-4)	*				
	5715-3	Caster Wheel,					
		Foamed Rubber (8 x 3.00-4)	**				
	5715-11	Tire, Foamed Rubber (8 x 3.00-4)	**				
20	5714-3	Axle Spacer Tube	2				
21	5770-1	Caster Wheel Fork	2				
22	8768-1	Seal	2				
23	8037	Bearing, Cone	4				
24	8769-1	Bearing Cup	4				
25	8769-9	Dust Cap	2				

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

36 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 5710-4)




DGHS36 DECK ASSEMBLY (P/N 5710-15)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				35	7775-2	Hitch Pin, RH (Gold) #6	2
1	8618-1	Cover, PTO Shaft Guard	1	36	5727-1	Washer Shim (5/8 ID) (1/4" Thick)	4
2	8619	PTO Shaft Guard	1	37	NS	Deck Serial Number Plate	1
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	Fasteners			
3	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 23, F069 & F295)	1	F002	10-24 Keps Nut		9
4	7275-16	U-Joint Tube Assy, Spline	1	F004	1/4-20 Keps Nut		2
5	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1	F005	1/4-20 ESNA Nut		2
6	5797	Discharge Chute (6-1/2 Diameter)	1	F013	3/8-16 Whiz Locknut		6
	5794-1	Discharge Chute Assembly with Spring Mount (Includes Items # 6, 7, 9, 10, F079 & F085)	*	F018	5/8-18 Hex Nut		2
7	8678	Spring Mount, Chute	1	F025	10-24 x 3/8 PPHMS		2
8	8677	Extension Spring (1 x 6-1/16)	1	F029	1/4-20 x 1/2 Hex Bolt		2
9	5726	Chute Hinge (2 x 8)	1	F036	1/4-20 x 1/2 SBH Screw		2
10	5755	Chute Lower Lip	1	F039	3/8-16 x 1-1/4 Hex Bolt		4
11	6054	Spline Coupling	3	F050	1/4 SAE Washer		4
12	P007	Gasket, Cap (Peerless #788030)	4	F055	5/8 SAE Washer		2
13	5061	Gearbox Connector Tube (6-11/16)	1	F056	5/8 Split Lock Washer		2
14	6732-2	Connecting Shaft (4-1/8)	1	F059	3/8 Wave Spring Washer		2
15	5052-1	Blade Drive Gearbox (LH Rotation)	2	F069	3/32 x 1/2 Cotter Pin		1
16	5706-4	Seal Protector Plate	3	F076	3/8-16 x 5/8 SQH Set Screw		*
17	5704-1	Gearbox Cover Support	2	F079	A/A66D Aluminum Pop Rivet		*
18	5051-16	Tee Gearbox, Shear (Less Flanges)	1	F085	3/16 Rivet Backup Washer		*
19	5060	Gearbox Connector Tube (2-5/16)	1	F087	#10 x 7/8 Fender Washer		2
20	5052-3	1.375 x .750 x .187 Washer	4	F124	10-32 x 3/8 Taptite Machine Screw		9
21	5747-11	Rubber Mat (3 x 6)	2	F129	10-24 x 1/2 PTHMS		3
22	5746-4	36" Gearbox Cover (Includes Item # 21)	1	F136	AN960C416L Washer		16
23	8067-13	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*	F179	1/4-20 x 1 Hex Bolt		4
24	5830	Grease Fitting	1	F202	10-24 x 5/8 SHC Screw, GR5 SS		4
Deck Housing Components				F206	#2 x 3/16 Drive Pin		2
25	8670	Tilt-Up Hook	1	F211	1/4-20 x 7/8 Hex Bolt		20
26	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2	F229	C-Clip (13/16)		2
27	8490	Roller Wheel Axle Bolt	2	F246	1/4-20 x 1/2 PTHMS		4
28	5710-16	36GHS Deck Housing (Includes Items # 33 & 34)	1	F295	3/16 x 1-1/2 Split Spring Pin		1
29	5705-0	Blade, 20" (RH Rotation)	1	* Service Part Only			
30	5705-2	Blade, 20" (LH Rotation)	1	NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			
	5705-6	Blade Set (36" GHS Deck) (Includes Items # 29-31, F002 & F202)	*	NOTE: Order Item # 5 to use the splined deck PTO shaft with Model MS and MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			
31	5706	Blade Hub & Trash Guard	2				
32	7775-1	Hitch Pin, LH (Silver) #6	2				
33	8735-10	Rubber Mat (5 x 6)	2				
34	8788-1	Rubber Mat (1 x 2)	1				

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

DGHS36 DECK ASSEMBLY (P/N 5710-15)




Refer to LUBRICATION POINTS, Page 48.

DSD36 DECK ASSEMBLY (P/N 5710-17)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				29	8788-1	Rubber Mat (1 x 2)	1
1	8618-1	Cover, PTO Shaft Guard	1	30	7775-2	Hitch Pin, RH (Gold) #6	2
2	8619	PTO Shaft Guard	1	31	5709-2	Discharge Shield	1
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	32	5727-1	Washer Shim (5/8 ID) (1/4" Thick)	4
3	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 20, F069 & F295)	1	33	NS	Deck Serial Number Plate	1
4	7275-16	U-Joint Tube Assy, Spline	1	Fasteners			
5	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1	F002	10-24 Keps Nut		6
6	5704-1	Gearbox Cover Support	2	F004	1/4-20 Keps Nut		2
7	5706-4	Seal Protector Plate	3	F013	3/8-16 Whiz Locknut		6
8	6054	Spline Coupling	3	F014	3/8-16 ESNA Nut		2
9	P007	Gasket, Cap (Peerless #788030)	4	F018	5/8-18 Hex Nut		2
10	5061	Gearbox Connector Tube (6-11/16)	1	F025	10-24 x 3/8 PPHMS		2
11	6732-2	Connecting Shaft (4-1/8)	1	F029	1/4-20 x 1/2 Hex Bolt		4
12	5052-1	Blade Drive Gearbox (LH Rotation)	1	F039	3/8-16 x 1-1/4 Hex Bolt		6
13	5051-16	Tee Gearbox, Shear (Less Flanges)	1	F050	1/4 SAE Washer		4
14	5060	Gearbox Connector Tube (2-1/2)	1	F055	5/8 SAE Washer		2
15	5053-1	Blade Drive Gearbox (RH Rotation)	1	F056	5/8 Split Lock Washer		2
16	5052-3	1.375 x .750 x .187 Washer	4	F059	3/8 Wave Spring Washer		4
17	5747-11	Rubber Mat (3 x 6)	2	F069	3/32 x 1/2 Cotter Pin		1
18	5746-4	Gearbox Cover (36") (Includes Item # 17)	1	F076	3/8-16 x 5/8 SQH Set Screw		*
19	5830	Grease Fitting	1	F124	10-32 x 3/8 Taptite Machine Screw		9
20	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*	F136	AN960C416L Washer		20
Deck Housing Components				F179	1/4-20 x 1 Hex Bolt		4
21	8670	Tilt-Up Hook	1	F202	10-24 x 5/8 SHC Screw, GR5 SS		4
22	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2	F206	#2 x 3/16 Drive Pin		2
23	8490	Roller Wheel Axle Bolt	2	F211	1/4-20 x 7/8 Hex Bolt		16
24	5710-18	36SD Deck Housing (Includes Items # 22, 23, 27 & 29)	1	F229	C-Clip (13/16)		2
25	5705-1	Blade, 20" (RH Rotation)	2	F246	1/4-20 x 1/2 PTHMS		4
	5705-5	Blade Set (36" SD Deck) (Includes Items # 25, 26, F002 & F202)	*	F295	3/16 x 1-1/2 Split Spring Pin		1
26	5706	Blade Hub & Trash Guard	2	* Service Part Only			
27	8735-10	Rubber Mat (5 x 6)	2	NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			
28	7775-1	Hitch Pin, LH (Silver) #6	2	NOTE: Order Item # 5 to use the splined deck PTO shaft with Model MS and MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			

DSD36 DECK ASSEMBLY (P/N 5710-17)



Refer to LUBRICATION POINTS, Page 48.

42 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 5700-11)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Fasteners			
1	5975-3	Cable Tie (50# x 7")	4	F012	3/8-16 Keps Nut		2
2	5744-1	Spring Clip Bracket	1	F014	3/8-16 ESNA Nut		2
3	5743-1	Spring Cover	2	F020	5/16-18 ESNA Nut		2
4	5743-3	Eyebolt (3/8-16 x 2)	2	F047	3/8-16 x 4-1/2 Hex Bolt		2
5	8667-10	Pivot Mount, LH/Adj.	1	F055	5/8 SAE Washer		2
6	8667-20	Pivot Mount, RH/Adj.	1	F068	1/8 x 1 Cotter Pin		2
7	5830-3	Grease Fitting (45 Degree)	4	F084	5/16 Wave Spring Washer		2
8	5743-6	Extension Spring (1-1/2 x 7-3/4)	2	F098	5/8-18 Slotted Hex Nut		2
Carrier Frame Components				F117	Retainer Ring		2
9	8674-11	Lever, Deck Lock, LH	1	F123	1" External Snap Ring		4
10	7406-1	Handle Grip (Red)	2	F166	Retainer Ring		4
11	8669	Lift Handle	1	F226	5/16-18 x 7/8 Hex Bolt		2
12	5748-10	Rubber Mat (1-1/2 x 6)	2	F317	3/16 x 1 Split Spring Pin		4
13	5740-2	Deck Pin Bushing (5/8)	4	F335	3/8-16 x 7/8 Set Screw, SS		2
14	8660-13	42" Carrier Frame (Includes Item # 12)	1	F336	3/8-16 Jam Nut		2
	8660-12	42" Carrier Frame w/Forks (Includes Items # 12, 21-23, 25, F055, F068 & F098)	*	* Service Part Only			
15	8674-10	Lever, Deck Lock, RH	1	** May be ordered as a factory-installed option or as a kit for dealer installation. Contact your Walker dealer.			
16	5830	Grease Fitting	6	NOTE: When installing Item # 8 on decks prior to S/N DX-62875, the swivel hook end should be attached to the deck carrier frame.			
Caster Wheel Components							
17	5714-7	Bearing Cap	4				
18	5714-5	Bearing, Caster Wheel	2				
19	5715-4	Caster Wheel, Pneu. (8 x 3.00-4) (Includes Items # 7, 17 & 18)	2				
	5715-10	Tire, Pneumatic (8 x 3.00-4)	*				
	5715-9	Tire Tube, Pneumatic (2.80/2.50-4)	*				
	5715-3	Caster Wheel, Foamed Rubber (8 x 3.00-4)	**				
	5715-11	Tire, Foamed Rubber (8 x 3.00-4)	**				
20	5714-3	Axle Spacer Tube	2				
21	5770-1	Caster Wheel Fork	2				
22	8768-1	Seal	2				
23	8037	Bearing, Cone	4				
24	8769-1	Bearing Cup	4				
25	8769-9	Dust Cap	2				

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

Effective Date 08-01-03




DGHS42 DECK ASSEMBLY (P/N 5705)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				33	7775-1	Hitch Pin, LH (Silver) #6	2
1	8618-1	Cover, PTO Shaft Guard	1	34	8788-1	Rubber Mat (1 x 2)	1
2	8619	PTO Shaft Guard	1	35	5704-4	42GHS Deck Housing	1
	8618	PTO Shaft Guard Assembly	*			(Includes Items # 32 & 34)	
		(Includes Items # 1, 2, F002 & F025)		36	7775-2	Hitch Pin, RH (Gold) #6	2
3	5285-15	U-Joint Shaft Assy, 90 Degree, Spline	1	37	5727-1	Washer Shim (5/8 ID) (1/4" Thick)	4
		(Includes Items # 25, F069 & F295)		38	NS	Deck Serial Number Plate	1
4	7275-16	U-Joint Tube Assy, Spline	1	Fasteners			
5	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1		F002	10-24 Keps Nut	9
6	5797	Discharge Chute (6-1/2 Diameter)	1		F004	1/4-20 Keps Nut	2
	5794-1	Discharge Chute Assembly with			F005	1/4-20 ESNA Nut	2
		Spring Mount	*		F013	3/8-16 Whiz Locknut	6
		Spring Mount			F018	5/8-18 Hex Nut	2
		(Includes Items # 6, 7, 9, 10, F079 & F085)			F025	10-24 x 3/8 PPHMS	2
7	8678	Spring Mount, Chute	1		F029	1/4-20 x 1/2 Hex Bolt	2
8	8677	Extension Spring (1 x 6-1/16)	1		F036	1/4-20 x 1/2 SBH Screw	2
9	5726	Chute Hinge (2 x 8)	1		F039	3/8-16 x 1-1/4 Hex Bolt	4
10	5755	Chute Lower Lip	1		F050	1/4 SAE Washer	4
11	6054	Spline Coupling	4		F055	5/8 SAE Washer	2
12	P007	Gasket, Cap (Peerless #788030)	4		F056	5/8 Split Lock Washer	2
13	5063	Gearbox Connector Tube (8-5/8)	1		F059	3/8 Wave Spring Washer	2
14	6732-3	Connecting Shaft (6-1/4)	1		F069	3/32 x 1/2 Cotter Pin	1
15	5052-1	Blade Drive Gearbox (LH Rotation)	2		F076	3/8-16 x 5/8 SQH Set Screw	*
16	5706-4	Seal Protector Plate	2		F079	A/A66D Aluminum Pop Rivet	*
17	5704-1	Gearbox Cover Support	2		F085	3/16 Rivet Backup Washer	*
18	5051-16	Tee Gearbox, Shear (Less Flanges)	1		F087	#10 x 7/8 Fender Washer	2
19	6732-1	Connecting Shaft (2")	1		F124	10-32 x 3/8 Taptite Machine Screw	6
20	5062	Gearbox Connector Tube (4-3/8)	1		F129	10-24 x 1/2 PTHMS	3
21	5052-3	1.375 x .750 x .187 Washer	4		F136	AN960C416L Washer	20
22	5747-11	Rubber Mat (3 x 6)	2		F179	1/4-20 x 1 Hex Bolt	4
23	5785	Gearbox Cover (42")	1		F202	10-24 x 5/8 SHC Screw, GR5 SS	4
		(Includes Item # 22)			F206	#2 x 3/16 Drive Pin	2
24	5830	Grease Fitting	1		F211	1/4-20 x 7/8 Hex Bolt	16
25	8067-10	Shear Pin w/Cotter (Set of 5)	*		F229	C-Clip (13/16)	4
		(Includes Item # F069)			F246	1/4-20 x 1/2 PTHMS	4
Deck Housing Components					F295	3/16 x 1-1/2 Split Spring Pin	1
26	8670	Tilt-Up Hook	1	* Service Part Only			
27	5162-11	Roller Wheel (5" Poly)	2	NOTE: Order Item # 4 to use the splined deck PTO shaft with			
		(Includes Item # F059)		Model MT, MD and MC-Twin (S/N 98-33662 and on) if			
28	8490	Roller Wheel Axle Bolt	2	tractor is not equipped (tractors S/N prior to S/N 99-			
29	5705-3	Blade, 22" (RH Rotation)	1	37748).			
30	5706	Blade Hub & Trash Guard	2	NOTE: Order Item # 5 to use the splined deck PTO shaft with			
31	5705-4	Blade, 22" (LH Rotation)	1	Model MS and MC (prior to S/N 98-33662) if tractor is not			
	5705-8	42GHS Blade Set with Hubs	*	equipped (tractors S/N prior to S/N 99-37748).			
		(Includes Items # 29-31, F002 & F202)					
32	8735-10	Rubber Mat (5 x 6)	2				

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

DGHS42 DECK ASSEMBLY (P/N 5705)



Refer to LUBRICATION POINTS, Page 48.


Effective Date 08-01-03

Use only genuine **Walker®** replacement parts.

DSD42 DECK ASSEMBLY (P/N 5707-10)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				30	5703-3	42SD Deck Housing (Includes Items # 28 & 29)	1
1	8618-1	Cover, PTO Shaft Guard	1	31	7775-2	Hitch Pin, RH (Gold) #6	2
2	8619	PTO Shaft Guard	1	32	5709-2	Discharge Shield	1
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	33	5727-1	Washer Shim (5/8 ID) (1/4" Thick)	4
3	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 21, F069 & F295)	1	34	NS	Deck Serial Number Plate	1
4	7275-16	U-Joint Tube Assy, Spline	1	Fasteners			
5	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1		F002	10-24 Keps Nut	6
6	5706-4	Seal Protector Plate	3		F004	1/4-20 Keps Nut	2
7	6054	Spline Coupling	4		F013	3/8-16 Whiz Locknut	6
8	P007	Gasket, Cap (Peerless #788030)	4		F014	3/8-16 ESNA Nut	2
9	5063	Gearbox Connector Tube (8-5/8)	1		F018	5/8-18 Hex Nut	2
10	6732-3	Connecting Shaft (6-1/4)	1		F025	10-24 x 3/8 PPHMS	2
11	5052-1	Blade Drive Gearbox (LH Rotation)	1		F029	1/4-20 x 1/2 Hex Bolt	2
12	5704-1	Gearbox Cover Support	2		F039	3/8-16 x 1-1/4 Hex Bolt	6
13	5051-16	Tee Gearbox, Shear (Less Flanges)	1		F050	1/4 SAE Washer	4
14	6732-1	Connecting Shaft (2")	1		F055	5/8 SAE Washer	2
15	5062	Gearbox Connector Tube (4-3/8)	1		F056	5/8 Split Lock Washer	2
16	5053-1	Blade Drive Gearbox (RH Rotation)	1		F059	3/8 Wave Spring Washer	4
17	5052-3	1.375 x .750 x .187 Washer	4		F069	3/32 x 1/2 Cotter Pin	1
18	5747-11	Rubber Mat (3 x 6)	2		F076	3/8-16 x 5/8 SQH Set Screw	*
19	5785-5	42" Gearbox Cover (Includes Item # 18)	1		F124	10-32 x 3/8 Taptite Machine Screw	9
20	5830	Grease Fitting	1		F136	AN960C416L Washer	20
21	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*		F179	1/4-20 x 1 Hex Bolt	4
Deck Housing Components					F202	10-24 x 5/8 SHC Screw, GR5 SS	4
22	8670	Tilt-Up Hook	1		F206	#2 x 3/16 Drive Pin	2
23	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2		F211	1/4-20 x 7/8 Hex Bolt	16
24	8490	Roller Wheel Axle Bolt	2		F229	C-Clip (13/16)	4
25	5705-3	Blade, 22" (RH Rotation)	2		F246	1/4-20 x 1/2 PTHMS	4
	5705-7	42SD Blade Set with Hubs (Includes Items # 25, 26, F002 & F202)	*		F295	3/16 x 1-1/2 Split Spring Pin	1
26	5706	Blade Hub & Trash Guard	2	* Service Part Only			
27	7775-1	Hitch Pin, LH (Silver) #6	2	NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			
28	8735-10	Rubber Mat (5 x 6)	2	NOTE: Order Item # 5 to use the splined deck PTO shaft with Model MS and MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			
29	8788-1	Rubber Mat (1 x 2)	1				

DSD42 DECK ASSEMBLY (P/N 5707-10)



Refer to LUBRICATION POINTS, Page 48.

DML42 DECK ASSEMBLY (P/N 5707-11)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				30	8788-1	Rubber Mat (1 x 2)	1
1	8618-1	Cover, PTO Shaft Guard	1	31	5701-1	42DML Deck Housing (Includes Items # 29 & 31)	1
2	8619	PTO Shaft Guard	1	32	7775-2	Hitch Pin, RH (Gold) #6	2
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	33	5727-1	Washer Shim (5/8 ID) (1/4" Thick)	4
3	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 21, F069 & F295)	1	34	NS	Deck Serial Number Plate	1
4	7275-16	U-Joint Tube Assy, Spline	1	Fasteners			
5	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1		F002	10-24 Keps Nut	6
6	5706-4	Seal Protector Plate	3		F004	1/4-20 Keps Nut	2
7	6054	Spline Coupling	4		F013	3/8-16 Whiz Locknut	6
8	P007	Gasket, Cap (Peerless #788030)	4		F018	5/8-18 Hex Nut	2
9	5063	Gearbox Connector Tube (8-5/8)	1		F025	10-24 x 3/8 PPHMS	2
10	6732-3	Connecting Shaft (6-1/4)	1		F029	1/4-20 x 1/2 Hex Bolt	2
11	5052-1	Blade Drive Gearbox (LH Rotation)	1		F039	3/8-16 x 1-1/4 Hex Bolt	4
12	5704-1	Gearbox Cover Support	2		F050	1/4 SAE Washer	4
13	5051-16	Tee Gearbox, Shear (Less Flanges)	1		F056	5/8 Split Lock Washer	2
14	6732-1	Connecting Shaft (2")	1		F059	3/8 Wave Spring Washer	2
15	5062	Gearbox Connector Tube (4-3/8)	1		F069	3/32 x 1/2 Cotter Pin	1
16	5053-1	Blade Drive Gearbox (RH Rotation)	1		F076	3/8-16 x 5/8 SQH Set Screw	*
17	5052-3	1.375 x .750 x .187 Washer	4		F124	10-32 x 3/8 Taptite Machine Screw	9
18	5747-11	Rubber Mat (3 x 6)	2		F136	AN960C416L Washer	20
19	5785-5	42" Gearbox Cover (Includes Item # 18)	1		F179	1/4-20 x 1 Hex Bolt	4
20	5830	Grease Fitting	1		F202	10-24 x 5/8 SHC Screw, GR5 SS	4
21	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*		F206	#2 x 3/16 Drive Pin	2
Deck Housing Components					F211	1/4-20 x 7/8 Hex Bolt	16
22	8670	Tilt-Up Hook	1		F229	C-Clip (13/16)	4
23	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2		F246	1/4-20 x 1/2 PTHMS	4
24	8490	Roller Wheel Axle Bolt	2		F295	3/16 x 1-1/2 Split Spring Pin	1
25	5705-10	Blade, 21" (Lower Mulching)	2	* Service Part Only			
26	5705-11	Blade, 22" (Upper Mulching)	2	NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			
	5705-12	42DML Blade Set with Hubs (Includes Items # 25-27, F002 & F202)	*	NOTE: Order Item # 5 to use the splined deck PTO shaft with Model MS and MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			
27	5706	Blade Hub & Trash Guard	2				
28	8735-10	Rubber Mat (5 x 6)	2				
29	7775-1	Hitch Pin, LH (Silver) #6	2				



Effective Date 08-01-03

17


48 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 7700-2)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Fasteners			
1	5975-3	Cable Tie (50# x 7")	4	F012	3/8-16 Keps Nut		2
2	5744-1	Spring Clip Bracket	1	F014	3/8-16 ESNA Nut		2
3	5743-1	Spring Cover	2	F020	5/16-18 ESNA Nut		2
4	5743-3	Eyebolt, (3/8-16 x 2)	2	F047	3/8-16 x 4-1/2 Hex Bolt		2
5	5830-3	Grease Fitting (45 Degree)	4	F055	5/8 SAE Washer		2
6	8667-10	Pivot Mount, LH/Adj/	1	F068	1/8 x 1 Cotter Pin		2
7	8667-20	Pivot Mount, RH/Adj.	1	F084	5/16 Wave Spring Washer		2
8	5743-6	Extension Spring (1-1/2 x 7-3/4)	2	F098	5/8-18 Slotted Hex Nut		2
Carrier Frame Components				F117	Retainer Ring		2
9	8674-11	Lever, Deck Lock, LH	1	F123	1" External Snap Ring		4
10	7406-1	Handle Grip (Red)	2	F166	Retainer Ring		4
11	8669	Lift Handle	1	F226	5/16-18 x 7/8 Hex Bolt		2
12	5748-10	Rubber Mat (1-1/2 x 6)	2	F317	3/16 x 1 Split Spring Pin		4
13	5740-2	Deck Pin Bushing (5/8)	4	F335	3/8-16 x 7/8 Set Screw, SS		2
14	8661-2	48" Carrier Frame (Includes Item # 12)	1	F336	3/8-16 Jam Nut		2
	8661-1	48" Carrier Frame w/Forks (Includes Items # 12, 21-23, 25, F055, F068 & F098)	*	* Service Part Only			
15	8674-10	Lever, Deck Lock, RH	1	** May be ordered as a factory-installed option or as a kit for dealer installation. Contact your Walker dealer.			
16	5830	Grease Fitting	6	NOTE: When installing Item # 8 on decks prior to S/N DX-62875, the swivel hook end should be attached to the deck carrier frame.			
Caster Wheel Components							
17	5714-7	Bearing Cap	4				
18	5714-5	Bearing, Caster Wheel	2				
19	5715-4	Caster Wheel, Pneu. (8 x 3.00-4) (Includes Items # 5, 17 & 18)	2				
	5715-10	Tire, Pneumatic (8 x 3.00-4)	*				
	5715-9	Tire Tube, Pneumatic (2.80/2.50-4)	*				
	5715-3	Caster Wheel, Foamed Rubber (8 x 3.00-4)	**				
	5715-11	Tire, Foamed Rubber (8 x 3.00-4)	**				
20	5714-3	Axle Spacer Tube	2				
21	5770-1	Caster Wheel Fork	2				
22	8768-1	Seal	2				
23	8037	Bearing, Cone	4				
24	8769-1	Bearing Cup	4				
25	8769-9	Dust Cap	2				

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

48 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 7700-2)




Effective Date 08-01-03

Use only genuine **Walker®** replacement parts.

DGHS48 DECK ASSEMBLY (P/N 7702-1)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				31	7775-1	Hitch Pin, LH (Silver) #6	2
1	8618-1	Cover, PTO Shaft Guard	1	32	8735-10	Rubber Mat (5 x 6)	2
2	8619	PTO Shaft Guard	1	33	8788-1	Rubber Mat (1 x 2)	1
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	34	7701	48GHS Deck Housing (Includes Items # 32 & 33)	1
3	7285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 24, F069 & F295)	1	35	7775-2	Hitch Pin, RH (Gold) #6	2
4	7275-16	U-Joint Tube Assy, Spline	1	36	5727-1	Washer Shim (5/8 ID)	4
5	7798	Discharge Chute (3-1/2 x 11-1/2)	1	37	NS	Deck Serial Number Plate	1
	7794-1	Discharge Chute Assembly with Spring Mount (Includes Items # 5, 6, 8, 9, F079 & F085)	*	Fasteners			
6	8678	Spring Mount, Chute	1	F002	10-24 Keps Nut		9
7	8677	Extension Spring (1 x 6-1/16)	1	F004	1/4-20 Keps Nut		2
8	7726	Chute Hinge (2 x 11)	1	F005	1/4-20 ESNA Nut		2
9	7755	Chute Lower Lip	1	F013	3/8-16 Whiz Locknut		6
10	6054	Spline Coupling	4	F018	5/8-18 Hex Nut		2
11	P007	Gasket, Cap (Peerless #788030)	4	F025	10-24 x 3/8 PPHMS		2
12	5066	Gearbox Connector Tube (9-5/16)	1	F029	1/4-20 x 1/2 Hex Bolt		2
13	6732-6	Connecting Shaft (7")	1	F036	1/4-20 x 1/2 SBH Screw		2
14	5706-4	Seal Protector Plate	2	F039	3/8-16 x 1-1/4 Hex Bolt		4
15	5052-1	Blade Drive Gearbox (LH Rotation)	2	F050	1/4 SAE Washer		4
16	5704-1	Gearbox Cover Support	2	F055	5/8 SAE Washer		2
17	7751-16	Tee Gearbox (1.2:1 Ratio), Shear	1	F056	5/8 Split Lock Washer		2
18	6732-2	Connecting Shaft (4-1/8)	1	F059	3/8 Wave Spring Washer		2
19	5061	Gearbox Connector Tube (6-11/16)	1	F069	3/32 x 1/2 Cotter Pin		1
20	5052-3	1.375 x .750 x .187 Washer	4	F079	A/A66D Aluminum Pop Rivet		*
21	5747-12	Rubber Mat (3 x 6)	2	F085	3/16 Rivet Backup Washer		*
22	7785-3	48" Gearbox Cover (Includes Item # 21)	1	F087	#10 x 7/8 Fender Washer		2
23	5830	Grease Fitting	1	F124	10-32 x 3/8 Taptite Machine Screw		6
24	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*	F129	10-24 x 1/2 PTHMS		3
Deck Housing Components				F136	AN960C416L Washer		20
25	8670	Tilt-Up Hook	1	F179	1/4-20 x 1 Hex Bolt		4
26	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2	F202	10-24 x 5/8 SHC Screw, GR5 SS		4
27	8490	Roller Wheel Axle Bolt	2	F206	#2 x 3/16 Drive Pin		2
28	7705-1	Blade, 25" (RH Rotation)	1	F211	1/4-20 x 7/8 Hex Bolt		16
29	5706	Blade Hub & Trash Guard	2	F229	C-Clip (13/16)		4
30	7705-2	Blade, 25" (LH Rotation)	1	F246	1/4-20 x 1/2 PTHMS		4
	7705-3	48GHS Blade Set with Hubs (Includes Items # 28-30, F002 & F202)	*	F295	3/16 x 1-1/2 Split Spring Pin		1
				* Service Part Only			
				NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 9937748).			


DGHS48 DECK ASSEMBLY (P/N 7702-1)



DSD48 DECK ASSEMBLY (P/N 7701-17)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				28	8788-1	Rubber Mat (1 x 2)	1
1	8618-1	Cover, PTO Shaft Guard	1	29	7701-18	48SD Deck Housing (Includes Items # 27 & 28)	1
2	8619	PTO Shaft Guard	1	30	7775-2	Hitch Pin, RH (Gold) #6	2
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	31	7707-10	48SD Skid Bar	1
3	7285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 20, F069 & F295)	1	32	6709-5	Discharge Shield (48")	1
4	7275-16	U-Joint Tube Assy, Spline	1	33	5727-1	Washer Shim (5/8 ID) (1/4" Thick)	4
5	5706-4	Seal Protector Plate	2	34	NS	Deck Serial Number Plate	1
6	6054	Spline Coupling	4	Fasteners			
7	P007	Gasket, Cap (Peerless #788030)	4		F002	10-24 Keps Nut	6
8	5066	Gearbox Connector Tube (9-5/16)	1		F004	1/4-20 Keps Nut	6
9	6732-6	Connecting Shaft (7")	1		F013	3/8-16 Whiz Locknut	6
10	5052-1	Blade Drive Gearbox (LH Rotation)	1		F014	3/8-16 ESNA Nut	2
11	5704-1	Gearbox Cover Support	2		F018	5/8-18 Hex Nut	2
12	5051-16	Tee Gearbox, Shear (Less Flanges)	1		F025	10-24 x 3/8 PPHMS	2
13	6732-2	Connecting Shaft (4-1/8)	1		F029	1/4-20 x 1/2 Hex Bolt	2
14	5061	Gearbox Connector Tube (6-11/16)	1		F031	1/4-20 x 5/8 Hex Bolt	2
15	5053-1	Blade Drive Gearbox (RH Rotation)	1		F039	3/8-16 x 1-1/4 Hex Bolt	6
16	5052-3	1.375 x .750 x .187 Washer	4		F050	1/4 SAE Washer	4
17	5747-12	Rubber Mat (3 x 6)	2		F055	5/8 SAE Washer	2
18	7785-3	48" Gearbox Cover (Includes Item # 17)	1		F056	5/8 Split Lock Washer	2
19	5830	Grease Fitting	1		F059	3/8 Wave Spring Washer	4
20	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*		F069	3/32 x 1/2 Cotter Pin	1
Deck Housing Components					F124	10-32 x 3/8 Taptite Machine Screw	6
21	8670	Tilt-Up Hook	1		F136	AN960C416L Washer	20
22	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2		F179	1/4-20 x 1 Hex Bolt	4
23	8490	Roller Wheel Axle Bolt	2		F202	10-24 x 5/8 SHC Screw, GR5 SS	4
24	7705-1	Blade, 25" (RH Rotation)	2		F206	#2 x 3/16 Drive Pin	2
	7705-5	48SD Blade Set with Hubs (Includes Items # 24, 25, F002 & F202)	*		F211	1/4-20 x 7/8 Hex Bolt	18
25	5706	Blade Hub & Trash Guard	2		F229	C-Clip (13/16)	4
26	7775-1	Hitch Pin, LH (Silver) #6	2		F246	1/4-20 x 1/2 PTHMS	4
27	8735-10	Rubber Mat (5 x 6)	2		F295	3/16 x 1-1/2 Split Spring Pin	1
				* Service Part Only			
				NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 9937748).			

DSD48 DECK ASSEMBLY (P/N 7701-17)





Effective Date 08-01-03

52 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 8811)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Caster Wheel Components			
1	5744-1	Spring Clip Bracket	1	18	8766	Axle Nut (3/4-16)	2
2	5975-3	Cable Tie (50# x 7")	4	19	8768-2	Seal, Caster Wheel	4
3	5743-1	Spring Cover	2	20	8037	Bearing Cone (3/4 ID)	4
4	5743-4	Eyebolt (3/8-16 x 2-3/4)	2	21	8037-2	Bearing Race	4
5	8667-10	Pivot Mount, LH/Adj.	1	22	8768	Caster Wheel, Pneu. (11 x 4.00-5)	2
6	5830-3	Grease Fitting (45 Degree)	4			(Includes Items # 6 & 21)	
7	8667-20	Pivot Mount, RH/Adj.	1		8768-3	Tire, Pneumatic (11 x 4.00-5)	*
8	5743-6	Extension Spring (1-1/2 x 7-3/4)	2		8768-5	Caster Wheel (5 x 3)	*
Carrier Frame Components				23	8767	Axle, Caster Wheel (5-1/8)	2
9	8674-11	Lever, Deck Lock, LH	1	24	8765-10	Caster Wheel Fork	2
10	7406-1	Handle Grip (Red)	2	25	8769-7	Seal	2
11	8811-12	52SD Carrier Frame	1	26	8769-6	Bearing Cone (1" ID)	4
	8811-10	52SD Carrier Frame, w/ Pivots (Includes Items # F335 & F336)	*	27	8769-5	Bearing Cup	4
12	5850-5	Handle Grip (1 x 1 x 3-3/4)	1	28	8769-8	Dust Cap	2
13	8811-25	Tilt Bar, with Grip (35")	1	Fasteners			
14	7775-5	Lock Pin (5/16)	1		F014	3/8-16 ESNA Nut	2
15	8674-10	Lever, Deck Lock, RH	1		F117	Retainer Ring	2
16	8740	Deck Pin Bushing (3/4 ID)	4		F140	7/16-14 x 1 Hex Bolt	4
17	5830	Grease Fitting	6		F166	Retainer Ring	2
					F218	7/16 Split Lock Washer	4
					F263	1-1/4 External Snap Ring	4
					F317	3/16 x 1 Split Spring Pin	4
					F335	3/8-16 x 7/8 Set Screw, SS	2
					F336	3/8-16 Jam Nut	2
					F344	3/4-16 Slotted Hex Nut	2
					F347	3/4 SAE Washer	2
					F348	1/8 x 1-1/2 Cotter Pin	2
				* Service Part Only			

52 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 8811)




DSD52 DECK ASSEMBLY (P/N 8810)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Blade Drive Components				42	8052	Blade Spindle (Includes Item # 10)	3
1	8789-5	Pulley Guard	1	43	8739	Spindle Shield	3
2	8786-15	Footrest Assembly	1	44	5705-25	Blade Spacer	3
3	NS	Edge Molding	2	45	5705-14	Blade, 18-1/2 (RH Rotation)	3
4	8754-10	Cover Plate	1		8738-7	52SD Blade Set	*
5	8245	Idler Pulley (6")	3	46	8910-5	Tie-Down Strap	2
6	8755	Blade Drive Pulley (3-7/8)	3			(Used to secure deck in tilt-up position during transport)	
7	8762	Dampening Spring (Gas)	1	47	8707	Skid Bar (52/62)	1
8	5146	10mm Ball Stud	2	48	8709	Discharge Shield	1
9	8373-3	Idler Arm (2-Hole)	1	49	NS	Deck Serial Number Plate	1
10	5830	Grease Fitting	5	50	5052-3	1.375 x .750 x .187 Washer	12
11	8374-1	Idler Arm Guide	1	51	8670-10	Tilt-Up Hook	1
12	7201-3	DU Bearing	2	Fasteners			
13	7201-4	Inner Race (1-1/2)	1		F004	1/4-20 Keps Nut	6
14	5841	Retainer Washer	1		F009	5/16-18 Whiz Locknut	7
15	8736	Blade Drive Belt (R3VX1000-2)	1		F012	3/8-16 Keps Nut	2
16	6240-2	Drive Pulley (4-1/2 / 3V) (Includes Items # F114 & F277)	1		F013	3/8-16 Whiz Locknut	14
17	8787	Deck Cover Knob	3		F014	3/8-16 ESNA Nut	3
18	8786-10	Rubber Mat (6 x 10-1/2)	2		F020	5/16-18 ESNA Nut	2
Gearbox and Dolly Wheel Components					F023	10-24 ESNA Nut	2
19	6206	Pressure Relief Valve	1		F032	1/4-20 x 3/4 Hex Bolt	2
20	8745-25	Dolly Wheel/PTO Guard Assembly (Includes Items # 21, 26, 28, 31, 34, 35, F012, F013, F046, F047, F052, F168, F226, F339 & F355)	*		F034	5/16-18 x 3/4 Hex Bolt	1
21	6715	Roller Wheel (3-7/8)	3		F039	3/8-16 x 1-1/4 Hex Bolt	2
22	8810-30	Tilt Dolly Mount Frame	1		F040	3/8-16 x 1-1/2 Hex Bolt	12
23	8810-34	Axle, Dolly Mount	1		F041	3/8-16 x 1-3/4 Hex Bolt	3
24	8285-20	U-Joint Shaft Assy, T-Scope (Includes Items # 25, F076 & F277)	1		F045	3/16 x 3/16 x 3/4 Key	3
25	5830-3	Grease Fitting (45 Degree)	2		F046	3/8-16 x 3-1/2 Hex Bolt	1
26	8788	Rubber Bumper (Self-Adhesive Mount)	1		F048	1/2 SAE Washer	3
27	8745-14	Retract Lever	1		F051	3/8 SAE Washer	6
28	5850-1	Handle Grip	1		F052	5/16 External Star Lock Washer	2
29	8745-12	Actuator Link	1		F055	5/8 SAE Washer	3
30	8745-13	Dolly Wheel Mount (Includes Item # 10)	1		F059	3/8 Wave Spring Washer	2
31	8745-15	Axle Spacer Tube	1		F068	1/8 x 1 Cotter Pin	3
32	5229	Extension Spring (1/2 x 2-1/4)	1		F076	3/8-16 x 5/8 SQH Set Screw	1
33	8745-20	Mount Bracket (Includes Items # 26, F052, F068 & F339)	1		F108	3/8-16 x 2 Hex Bolt	1
34	5103-4	Pivot Bushing (3/8 ID)	2		F114	5/16-18 x 5/8 SQH Set Screw	2
35	8745-40	PTO Cover Plate	1		F134	AN960816L Washer	3
36	8051-10	Right Angle Gearbox (Includes Item # 19)	1		F168	5/16 Split Lock Washer	8
Deck Housing Components					F206	#2 x 3/16 Drive Pin	2
37	8727	Washer Shim, 13/16 x 1/4	4		F226	5/16-18 x 7/8 Hex Bolt	12
38	8775	Hitch Pin (#219)	4		F246	1/4-20 x 7/8 PTHMS	2
39	8735-10	Rubber Mat (5 x 6)	2		F252	10-24 x 3/4 PFHMS	2
40	8790	Rubber Cushion Strip	3		F276	5/8-11 Jam Nut	3
41	8810-10	52SD Deck Housing (Includes Items # 39 & 40)	1		F277	3/16 x 5/8 Woodruff Key (#605)	2
					F295	3/16 x 1-1/2 Split Spring Pin	2
					F339	5/16-18 x 3/4 Self-Tapping Bolt	2
					F343	1/2-20 x 2-1/4 Hex Bolt	3
					F354	Knurled Thread Insert 5/16	2
					F355	3/8 x 16 x 4 Hex Bolt	1
					F356	1/4-20 x 5/8 PTHMS	2
				* Service Part Only			

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

DSD52 DECK ASSEMBLY (P/N 8810)




Effective Date 08-01-03

MULCHING KIT (FOR DSD52 DECK ASSEMBLY)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Kit 8691 Mulching Kit (For DSD52 Deck Assembly) Includes Items # 1-5, fasteners listed and instructions. May be ordered as a factory-installed option or as a kit for dealer installation. Contact your Walker dealer. Refer also to DSD52 DECK ASSEMBLY , page 26.				Fasteners			
1	8691-4	Baffle/RH	1		F004	1/4-20 Keps Nut	9
2	8691-3	Baffle/Center	1		F029	1/4-20 x 1/2 Hex Bolt	9
3	8691-2	Baffle/LH	1		F048	1/2 SAE Washer	3
4	5705-15	Blade, 18-3/8 Upper Mulch	3		F343	1/2-20 x 2-1/4 Hex Bolt	3
	8738-8	52SD Mulching Blade Set	*	* Service Part Only. Includes 5705-15 Blades (3 Pieces).			
5	8691-10	Blade Saddle	3	NOTE: Reuse Item # 6 from DSD52 DECK ASSEMBLY . Refer to DSD52 DECK ASSEMBLY , page 26.			
6	5705-14	Blade, 18-1/2 (RH Rotation)	3				

MULCHING KIT (FOR DSD52 DECK ASSEMBLY)



56 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 6720)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Caster Wheel Components			
1	5975-3	Cable Tie (50# x 7")	4	19	5714-7	Bearing Cap	4
2	5744-1	Spring Clip Bracket	1	20	5714-5	Bearing, Caster Wheel	2
3	5743-1	Spring Cover	2	21	5715-4	Caster Wheel, Pneu. (8 x 3.00-4)	2
4	5743-3	Eyebolt (3/8-16 x 2)	2			(Includes Items # 6, 19 & 20)	
5	8667-10	Pivot Mount, LH/Adj.	1		5715-10	Tire, Pneumatic (8 x 3.00-4)	*
6	5830-3	Grease Fitting (45 Degree)	4		5715-9	Tire Tube, Pneumatic (2.80/2.50-4)	*
7	8667-20	Pivot Mount, RH/Adj.	1		5715-3	Caster Wheel,	
8	5743-6	Extension Spring (1-1/2 x 7-3/4)	2			Foamed Rubber (8 x 3.00-4)	**
Carrier Frame Components					5715-11	Tire, Foamed Rubber (8 x 3.00-4)	**
9	8674-11	Lever, Deck Lock, LH	1	22	5714-3	Axle Spacer Tube	2
10	7406-1	Handle Grip, Red	2	23	5770-1	Caster Wheel Fork	2
11	5748-10	Rubber Mat (1-1/2 x 6)	2	24	8768-1	Seal	2
12	6720-1	56SD Carrier Frame (Includes Item # 11)	1	25	8037	Bearing, Cone	4
13	5740-2	Deck Pin Bushing (5/8)	4	26	8769-1	Bearing Cup	4
14	8674-10	Lever, Deck Lock, RH	1	27	8769-9	Dust Cap	2
15	5830	Grease Fitting	2	Fasteners			
16	5850-5	Handle Grip (1 x 1 x 3-3/4)	1		F012	3/8-16 Keps Nut	2
17	6811-25	Tilt Bar With Grip (30")	1		F014	3/8-16 ESNA Nut	2
18	7775-5	Lock Pin (5/16)	1		F047	3/8-16 x 4-1/2 Hex Bolt	2
					F055	5/8 SAE Washer	2
					F068	1/8 x 1 Cotter Pin	2
					F098	5/8-18 Slotted Hex Nut	2
					F117	Retainer Ring	2
					F123	1" External Snap Ring	4
					F166	Retainer Ring	2
					F317	3/16 x 1 Split Spring Pin	4
					F335	3/8-16 x 7/8 Set Screw, SS	2
					F336	3/8-16 Jam Nut	2

* Service Part Only

** May be ordered as a factory-installed option or as a kit for dealer installation. Contact your Walker Dealer.

NOTE: When installing Item # 8 on decks prior to S/N DX-62875, the swivel hook end should be attached to the deck carrier frame.

This diagram illustrates the assembly of a vehicle chassis, showing the relationship between various components and their assembly order. The components are numbered 1 through 27, and specific fasteners are labeled with 'F' codes.

Key Components and Assembly Order:

- 1:** Shock absorbers (top and bottom).
- 2:** Spring plate.
- 3:** Springs.
- 4:** Shock absorber pins.
- 5:** Shock absorber mounting brackets.
- 6:** Shock absorber mounting pins.
- 7:** Shock absorber mounting nuts.
- 8:** Shock absorber mounting bolts.
- 9:** Shock absorber mounting brackets (bottom).
- 10:** Shock absorber mounting pins (bottom).
- 11:** Shock absorber mounting brackets (middle).
- 12:** Shock absorber mounting pins (middle).
- 13:** Shock absorber mounting brackets (top).
- 14:** Shock absorber mounting pins (top).
- 15:** Shock absorber mounting pins (middle).
- 16:** Shock absorber mounting pins (middle).
- 17:** Shock absorber mounting pins (middle).
- 18:** Shock absorber mounting pins (middle).
- 19:** Shock absorber mounting pins (middle).
- 20:** Shock absorber mounting pins (middle).
- 21:** Shock absorber mounting pins (middle).
- 22:** Shock absorber mounting pins (middle).
- 23:** Shock absorber mounting pins (middle).
- 24:** Shock absorber mounting pins (middle).
- 25:** Shock absorber mounting pins (middle).
- 26:** Shock absorber mounting pins (middle).
- 27:** Shock absorber mounting pins (middle).

Fasteners and Labels:

- F068:** Shock absorber mounting pin.
- F098:** Shock absorber mounting pin.
- F055:** Shock absorber mounting pin.
- F047:** Shock absorber mounting pin.
- F012:** Shock absorber mounting pin.
- F123:** Shock absorber mounting pin.
- F317:** Shock absorber mounting pin.
- F335:** Shock absorber mounting pin.
- F336:** Shock absorber mounting pin.
- F117:** Shock absorber mounting pin.
- F166:** Shock absorber mounting pin.
- F014:** Shock absorber mounting pin.

Assembly Instructions:

1. Install the shock absorbers (1) and springs (3) onto the chassis frame.
2. Install the spring plate (2) and shock absorber pins (4).
3. Install the shock absorber mounting brackets (5) and pins (6).
4. Install the shock absorber mounting nuts (7) and bolts (8).
5. Install the shock absorber mounting brackets (9) and pins (10).
6. Install the shock absorber mounting brackets (11) and pins (12).
7. Install the shock absorber mounting brackets (13) and pins (14).
8. Install the shock absorber mounting pins (15).
9. Install the shock absorber mounting pins (16).
10. Install the shock absorber mounting pins (17).
11. Install the shock absorber mounting pins (18).
12. Install the shock absorber mounting pins (19).
13. Install the shock absorber mounting pins (20).
14. Install the shock absorber mounting pins (21).
15. Install the shock absorber mounting pins (22).
16. Install the shock absorber mounting pins (23).
17. Install the shock absorber mounting pins (24).
18. Install the shock absorber mounting pins (25).
19. Install the shock absorber mounting pins (26).
20. Install the shock absorber mounting pins (27).

Refer to LUBRICATION POINTS, P

Effective Date 08-01-03

Use only genuine **Walker®** replacement parts.


DSD56 DECK ASSEMBLY (P/N 6720-20)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				38	6705-8	Discharge Shield	1
1	8618-1	Cover, PTO Shaft Guard	1	39	5727-1	Washer Shim (5/8 ID)	4
2	8619	PTO Shaft Guard	1	40	NS	Deck Serial Number Plate	1
	8618	PTO Shaft Guard Assembly (Includes # 1, 2, F002 & F025)	*	Fasteners			
3	7275-16	U-Joint Tube Assy, Spline	1		F002	10-24 Keps Nut	8
4	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1		F004	1/4-20 Keps Nut	4
5	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 22, F069 & F295)	1		F013	3/8-16 Whiz Locknut	8
6	5052-2	Blade Drive Gearbox (1:1.2 Ratio)	1		F014	3/8-16 ESNA Nut	2
7	5706-4	Seal Protector Plate	3		F016	1/2-13 Self-Locking Nut	1
8	6054	Spline Coupling	5		F018	5/8-18 Hex Nut	3
9	P007	Gasket, Cap (Peerless #788030)	6		F020	5/16-18 ESNA Nut	1
10	5069	Gearbox Connector Tube (14-1/2)	1		F025	10-24 x 3/8 PPHMS	2
11	6732-9	Connecting Shaft (12-1/8)	1		F029	1/4-20 x 1/2 Hex Bolt	2
12	5058-2	Tee Gearbox, Blade Drive (1:1.2 Ratio)	1		F032	1/4-20 x 3/4 Hex Bolt	2
13	5060	Gearbox Connector Tube (2-5/16)	1		F039	3/8-16 x 1-1/4 Hex Bolt	8
14	6732-3	Connecting Shaft (6-1/4)	1		F050	1/4 SAE Washer	4
15	5063	Gearbox Connector Tube (8-5/8)	1		F055	5/8 SAE Washer	3
16	5053-2	Blade Drive Gearbox (1:1.2 Ratio)	1		F056	5/8 Split Lock Washer	3
17	5052-3	1.375 x .750 x .187 Washer	6		F059	3/8 Wave Spring Washer	4
18	6786	56SD Gearbox Cover (Includes Item # 19)	1		F069	3/32 x 1/2 Cotter Pin	1
19	5747-10	Rubber Mat, No-Hole (3 x 6)	2		F076	3/8-16 x 5/8 SQH Set Screw	*
20	5704-1	Gearbox Cover Support	2		F124	10-32 x 3/8 Taptite Machine Screw	9
21	5051-16	Tee Gearbox, Shear (Less Flanges)	1		F136	AN960C416L Washer	24
22	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*		F179	1/4-20 x 1 Hex Bolt	4
23	5830	Grease Fitting	1		F202	10-24 x 5/8 SHC Screw, GR5 SS	6
Deck Housing Components					F206	#2 x 3/16 Drive Pin	2
24	8670-8	Tilt-Up Hook	1		F208	5/16-18 x 2-1/4 Hex Bolt	1
25	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2		F211	1/4-20 x 7/8 Hex Bolt	26
26	8490	Roller Wheel Axle Bolt	2		F229	C-Clip (13/16)	4
27	5705-0	Blade, 20" (RH Rotation)	3		F246	1/4-20 x 1/2 PTHMS	2
	5705-9	56SD Blade Set with Hubs (Includes Items # 27, 28, F002 & F202)	*		F295	3/16 x 1-1/2 Split Spring Pin	1
28	5706	Blade Hub & Trash Guard	3	* Service Part Only			
29	8735-10	Rubber Mat (5 x 6)	2	NOTE: Order Item # 3 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			
30	7775-1	Hitch Pin, LH (Silver) #6	2	NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			
31	6715	Roller Wheel (3-7/8)	2				
32	6716-3	Front Axle, Anti-Scalp Roller (Bolt)	1				
33	8910-5	Tie Down Strap	1				
34	8788-1	Rubber Mat (1 x 2)	1				
35	6720-10	56SD Deck Housing (Includes Items # 29 & 34)	1				
36	7775-2	Hitch Pin, RH (Gold) #6	2				
37	6707-6	Skid Bar (56")	1				

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03


DSD56 DECK ASSEMBLY (P/N 6720-20)



62 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 8911)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Caster Wheel Components			
1	5744-1	Spring Clip Bracket	1	18	8766	Axle Nut (3/4-16)	2
2	5975-3	Cable Tie (50# x 7")	4	19	8768-2	Seal, Caster Wheel	4
3	5743-1	Spring Cover	2	20	8037	Bearing Cone (3/4 ID)	4
4	8667-10	Pivot Mount, LH/Adj.	1	21	8037-2	Bearing Race	4
5	5830-3	Grease Fitting (45 Degree)	4	22	8768	Caster Wheel, Pneu. (11 x 4.00-5)	2
6	8667-20	Pivot Mount, RH/Adj.	1			(Includes Items # 5 & 21)	
7	5743-4	Eyebolt (3/8-16 x 2-3/4)	2		8768-3	Tire, Pneumatic (11 x 4.00-5)	*
8	5743-6	Extension Spring (1-1/2 x 7-3/4)	2		8768-5	Caster Wheel (5 x 3)	*
Carrier Frame Components				23	8767	Axle, Caster Wheel (5-1/8)	2
9	8674-11	Lever, Deck Lock, LH	1	24	8765-10	Caster Wheel Fork	2
10	7406-1	Handle Grip (Red)	2	25	8769-7	Seal	2
11	8911-12	62SD Carrier Frame	1	26	8769-6	Bearing Cone (1" ID)	4
	8911-10	62SD Carrier Frame, w/ Pivots (Includes Items # 4, 6, 9, 15, F317, F335 & F336)	*	27	8769-5	Bearing Cup	4
12	5850-5	Handle Grip (1 x 1 x 3-3/4)	1	28	8769-8	Dust Cap	2
13	8911-25	Tilt Bar With Grip (42-1/2)	1	Fasteners			
14	7775-5	Lock Pin	1		F014	3/8-16 ESNA Nut	2
15	8674-10	Lever, Deck Lock, RH	1		F117	Retainer Ring	2
16	8740	Deck Pin Bushing (3/4 ID)	4		F140	7/16-14 x 1 Hex Bolt	4
17	5830	Grease Fitting	6		F166	Retainer Ring	2
					F218	7/16 Split Lock Washer	4
					F263	1-1/4 External Snap Ring	4
					F317	3/16 x 1 Split Spring Pin	4
					F335	3/8-16 x 7/8 Set Screw, SS	2
					F336	3/8-16 Jam Nut	2
					F344	3/4-16 Slotted Hex Nut	2
					F347	3/4 SAE Washer	2
					F348	1/8 x 1-1/2 Cotter Pin	2
				* Service Part Only			

62 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 8911)




DSD62 DECK ASSEMBLY (P/N 8910)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Blade Drive Components				44	8739	Spindle Shield	3
1	8789-5	Pulley Guard	1	45	5705-3	Blade, 22" (RH Rotation)	3
2	8786-15	Footrest Assembly	1		5705-13	62SD Blade Set	*
3	NS	Edge Molding	2	46	8728	Machine Bushing (1/2 x 1-1/2)	3
4	8785-10	Cover Plate	1	47	8910-5	Tie-Down Strap	2
5	8245	Idler Pulley (6")	3			(Used to secure deck in tilt-up position during transport)	
6	8240	Blade Drive Pulley (4-1/2)	3	48	8707	Skid Bar (52/62)	1
7	8762	Dampening Spring (Gas)	1	49	8709	Discharge Shield	1
8	5146	10mm Ball Stud	2	50	NS	Deck Serial Number Plate	1
9	8373-3	Idler Arm (2-Hole)	1	51	5052-3	1.375 x .750 x .187 Washer	12
10	5830	Grease Fitting	5	52	8670-10	Tilt-Up Hook	1
11	8374-1	Idler Arm Guide	1	Fasteners			
12	7201-3	DU Bearing	2		F004	1/4-20 Keps Nut	6
13	7201-4	Inner Race (1-1/2)	1		F009	5/16-18 Whiz Locknut	3
14	5841	Retainer Washer	1		F012	3/8-16 Keps Nut	11
15	8731	Blade Drive Belt, (2/3VX1180)	1		F013	3/8-16 Whiz Locknut	14
16	6240-2	Drive Pulley (4-1/2 / 3V) (Includes Items # F114 & F277)	1		F014	3/8-16 ESNA Nut	3
17	8787	Deck Cover Knob	3		F020	5/16-18 ESNA Nut	2
18	8786-10	Rubber Mat (6 x 10-1/2)	2		F023	10-24 ESNA Nut	2
Gearbox and Dolly Wheel Components					F032	1/4-20 x 3/4 Hex Bolt	2
19	6206	Pressure Relief Valve	1		F034	5/16-18 x 3/4 Hex Bolt	1
20	8745-25	Dolly Wheel/PTO Guard Assembly (Includes Items # 23, 24, 26, 29, 30, 33, F012, F013, F046, F052, F047, F168, F226, F339 & F355)	*		F038	3/8-16 x 1 Hex Bolt	6
21	8285-20	U-Joint Shaft Assy, T-Scope (Includes Items # 22, F076 & F277)	1		F039	3/8-16 x 1-1/4 Hex Bolt	2
22	5830-3	Grease Fitting (45 Degree)	2		F040	3/8-16 x 1-1/2 Hex Bolt	12
23	5103-4	Pivot Bushing (3/8 ID)	2		F041	3/8-16 x 1-3/4 Hex Bolt	3
24	8788	Rubber Bumper (Self-Adhesive Mount)	1		F045	3/16 x 3/16 x 3/4 Key	3
25	8745-14	Retract Lever	1		F046	3/8-16 x 3-1/2 Hex Bolt	4
26	5850-1	Handle Grip	1		F051	3/8 SAE Washer	6
27	8745-12	Actuator Link	1		F052	5/16 External Star Lock Washer	2
28	8745-13	Dolly Wheel Mount (Includes Item # 10)	1		F055	5/8 SAE Washer	3
29	6715	Roller Wheel (3-7/8)	1		F059	3/8 Wave Spring Washer	2
30	8745-15	Axle Spacer Tube	1		F068	1/8 x 1 Cotter Pin	1
31	5229	Extension Spring (1/2 x 2-1/4)	1		F076	3/8-16 x 5/8 SQH Set Screw	1
32	8745-20	Mount Bracket (Includes Items # 24, F052, F068 & F339)	1		F108	3/8-16 x 2 Hex Bolt	1
33	8745-40	PTO Cover Plate	1		F114	5/16-18 x 5/8 SQH Set Screw	2
34	8051-10	Right Angle Gearbox (Includes Item # 19)	1		F134	AN960816L Washer	1
Deck Housing Components					F168	5/16 Split Lock Washer	8
35	8790	Rubber Cushion Strip	3		F206	#2 x 3/16 Drive Pin	2
36	8727	Washer Shim, 13/16 x 1/4	4		F226	5/16-18 x 7/8 Hex Bolt	8
37	8775	Hitch Pin (#219)	4		F241	.375 x .875 x .10 Washer	6
38	8735-10	Rubber Mat (5 x 6)	2		F246	1/4-20 x 7/8 PTHMS	2
39	8720-30	Anti-Scalp Wheel Mount	3		F252	10-24 x 3/4 PFHMS	2
40	8745-30	Axle Spacer Tube	3		F265	1/2-20 x 1-1/2 Hex Bolt	3
41	6715-1	Roller Wheel (5")	3		F276	5/8-11 Jam Nut	3
42	8910-10	62SD Deck Housing (Includes Items # 35 & 38)	1		F277	3/16 x 5/8 Woodruff Key (#605)	2
43	8052	Blade Spindle (Includes Item # 13)	3		F339	5/16-18 x 3/4 Self-Tapping Bolt	2
					F354	Knurled Thread Insert 5/16	2
					F355	3/8 x 16 x 4 Hex Bolt	1
					F356	1/4-20 x 5/8 PTHMS	2
				* Service Part Only			

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03


DSD62 DECK ASSEMBLY (P/N 8910)



74 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 7803)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Caster Wheel Components			
1	5744-1	Spring Clip Bracket	1	19	8766	Axle Nut (3/4-16)	2
2	5975-3	Cable Tie (50# x 7")	4	20	8768-2	Seal	4
3	5743-1	Spring Cover	2	21	8037	Bearing Cone (3/4 ID)	4
4	8667-10	Pivot Mount, LH/Adj.	1	22	8037-2	Bearing Race	4
5	5830-3	Grease Fitting (45 Degree)	4	23	8768	Caster Wheel, Pneu. (11 x 4.00-5)	2
6	8667-20	Pivot Mount, RH/Adj.	1			(Includes Items # 5 & 21)	
7	5743-4	Eyebolt (3/8-16 x 2-3/4)	2		8768-3	Tire, Pneumatic (11 x 4.00-5)	*
8	5743-6	Extension Spring (1-1/2 x 7-3/4)	2		8768-5	Caster Wheel (5 x 3)	*
Carrier Frame Components				24	8767	Axle, Caster Wheel (5-1/8)	2
9	8674-11	Lever, Deck Lock, LH	1	25	8765-10	Caster Wheel Fork	2
10	7406-1	Handle Grip (Red)	2	26	8769-7	Seal	2
11	7803-1	74SD Carrier Frame	1	27	8769-6	Bearing Cone (1" ID)	4
12	5850-5	Handle Grip (1 x 1 x 3-3/4)	1	28	8769-5	Bearing Cup	4
13	8811-25	Tilt Bar (42-1/2) (Includes Item # 12)	1	29	8769-8	Dust Cap	2
14	7775-5	Lock Pin (5/16)	1	Fasteners			
15	5748-10	Rubber Mat (1-1/2 x 6)	2		F014	3/8-16 ESNA Nut	2
16	8674-10	Lever, Deck Lock, RH	1		F117	Retainer Ring	2
17	8740	Deck Pin Bushing (3/4 ID)	4		F140	7/16-14 x 1 Hex Bolt	4
18	5830	Grease Fitting	6		F166	Retainer Ring	2
					F218	7/16 Split Lock Washer	4
					F263	1-1/4 External Snap Ring	4
					F317	3/16 x 1 Split Spring Pin	4
					F335	3/8-16 x 7/8 Set Screw, SS	2
					F336	3/8-16 Jam Nut	2
					F344	3/4-16 Slotted Hex Nut	2
					F347	3/4 SAE Washer	2
					F348	1/8 x 1-1/2 Cotter Pin	2
				* Service Part Only			

74 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 7803)



Refer to LUBRICATION POINTS, Page 48.

Effective Date 08-01-03

Use only genuine **Walker®** replacement parts.

DSD74 DECK ASSEMBLY (P/N 7803-2)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				29	7866-1	Lock Lever, Rear Caster	2
1	8618-1	Cover, PTO Shaft Guard	1	30	7775-5	Lock Pin (5/16)	2
2	8619	PTO Shaft Guard	1	31	5683	Pivot Bearing	4
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	32	7866	Rear Fork Mount (Includes Item # 31)	2
3	7275-16	U-Joint Tube Assy, Spline	1	33	7870	74SD Rear Fork	2
4	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # F064 & F295)	1	34	5714-3	Axle Spacer Tube	2
5	7865-2	74SD Gearbox Cover/Middle (Includes Item # 8 & 10)	1	35	7868	74SD Caster Wheel/Rear	2
6	7865	74SD Gearbox Cover/RH (Includes Items # 7 & 10)	1	36	6715	Roller Wheel (3-7/8)	2
7	5747-10	Rubber Mat, No-Hole (3 x 6)	2	37	6716-2	Rear Axle Anti-Scalp Roller (Bolt)	2
8	8788-1	Rubber Mat (1 x 2)	2	38	7807-1	74SD Skid Bar	1
9	7865-1	74SD Gearbox Cover/LH (Includes Items # 7 & 10)	1	39	7809-1	Discharge Shield	1
10	8790	Rubber Cushion Strip	3	40	5706	Blade Hub & Trash Guard	3
11	8067-13	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	1	41	5705-0	Blade 20" (RH Rotation)	4
12	5830	Grease Fitting	1		5705-16	74SD Blade Set with Hubs (Includes Items # 40, 41, F002 & F202)	*
13	5052-3	1.375 x .750 x .187 Washer	8	42	8775	Hitch Pin (#219)	4
Heavy Duty Drive Components				43	8727	Washer Shim (13/16 x 1/4)	4
14	VR114	Right Gearbox Assembly (Includes Items # 20, 21 & 24)	1	44	NS	Deck Serial Number Plate	1
15	VR004	O-Ring/HD (Viton)	8	Fasteners			
16	VR108	Right Center Gearbox Assembly (Includes Items # 20, 21 & 24)	1	F002	10-24 Keps Nut		10
17	VR113	Input Gearbox Assembly (Includes Items # 20, 21 & 24)	1	F004	1/4-20 Keps Nut		4
18	VR107	Left Center Gearbox Assembly (Includes Items # 20 & 21)	1	F012	3/8-16 Keps Nut		2
19	VR105	Left Gearbox Assembly (Includes Items # 20, 21 & 24)	1	F014	3/8-16 ESNA Nut		2
20	VR009	O-Ring Plug	5	F016	1/2-13 Self-Locking Nut		2
21	VR008	5/16-18 x 1 Screw	24	F018	5/8-18 Hex Nut		4
22	VR205	L/R Tube Assembly (Includes Items # 15 & 21)	2	F020	5/16-18 ESNA Nut		1
23	VR217	Right L/Center Tube Assembly (Includes Item # 21)	1	F025	10-24 x 3/8 PPHMS		2
24	VR007	5/16-18 x 3/4 Screw	8	F029	1/4-20 x 1/2 Hex Bolt		2
25	VR208	L/R Center Tube Assembly (Includes Item # 24)	1	F031	1/4-20 x 5/8 Hex Bolt		2
Deck Housing Components				F038	3/8-16 x 1 Hex Bolt		2
26	8786-10	Rubber Mat (6 x 10-1/2)	4	F039	3/8-16 x 1-1/4 Hex Bolt		10
27	8670-8	Tilt-Up Hook 56/74	1	F047	3/8-16 x 4-1/2 Hex Bolt		2
28	7803-3	74SD Deck Housing (Includes Items # 8 & 26)	1	F050	1/4 SAE Washer		18
				F055	5/8 SAE Washer		4
				F056	5/8 Split Lock Washer		4
				F059	3/8 Wave Spring Washer		2
				F063	3/8 Int. Star Lock		2
				F069	3/32 x 1/2 Cotter Pin		1
				F119	Rear Caster Spacer		4
				F191	3/8 x 1-1/2 x 3/16 Washer		2
				F202	10-24 x 5/8 SHC Screw, GR5 SS		8
				F206	#2 x 3/16 Drive Pin		2
				F208	5/16-18 x 2-1/4 Hex Bolt		1
				F246	1/4-20 x 1/2 PTHMS		8
				F295	3/16 x 1-1/2 Split Spring Pin		1
				* Service Part Only			

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

Refer to 74 INCH
CARRIER FRAME ASSEMBLY,
Page 38




HEAVY DUTY BLADE DRIVE COMPONENTS (GHS MODELS)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
GHS 36" Heavy Duty Blade Drive				GHS 48" Heavy Duty Blade Drive			
1	5746-5	36HD Gearbox Cover (Includes Item # 2 & 13)	1	1	7785-4	48HD Gearbox Cover/02 Begin D7-67882 (Includes Item # 2 & 13)	1
2	5747-14	Rubber Mat (3 x 6)	2	2	5747-14	Rubber Mat (3 x 6)	2
3	8790	Rubber Cushion Strip	1	3	8790	Rubber Cushion Strip	1
4	VR101	Right Gearbox Assembly**	1	4	VR117	Gearbox Assembly**	1
5	VR004	O-Ring/HD (Viton)	4	5	VR004	O-Ring/HD (Viton)	4
6	VR111	Gearbox Assembly**	1	6	VR100	Gearbox Assembly**	1
7	VR102	Left Gearbox Assembly**	1	7	VR102	Left Gearbox Assembly**	1
8	VR009	O-Ring Plug	4	8	VR009	O-Ring Plug	4
9	VR210	Tube Assembly	1	9	VR201	Tube Kit 48GHS**	1
10	VR007	5/16-18 x 3/4 Screw	8	10	VR007	5/16-18 x 3/4 Screw	8
11	VR203	L/R Tube Assembly, L 36 GHS/SD R 48SD	1	11	VR200	Tube Assembly	1
12	VR008	5/16-18 x 1 Screw	8	12	VR008	5/16-18 x 1 Screw	8
13	5052-3	1.375 x .750 x .187 Washer	6	13	5052-3	1.375 x .750 x .187 Washer	6
GHS 42" Heavy Duty Blade Drive				Fasteners			
1	5785-6	42HD Gearbox Cover (Includes Item # 2 & 13)	1		F039	3/8-16 x 1-1/4 Hex Bolt	4
2	5747-14	Rubber Mat (3 x 6)	2		F050	1/4 SAE Washer	4
3	8790	Rubber Cushion Strip	1		F246	1/4-20 x 1/2 PTHMS	4
4	VR101	Right Gearbox Assembly**	1		F278	3/8 Split Lock Washer	4
5	VR004	O-Ring/HD (Viton)	4	* Service Part Only			
6	VR111	Gearbox Assembly	1	** Includes connecting screws and O-Ring.			
7	VR102	Left Gearbox Assembly**	1				
8	VR009	O-Ring Plug	4				
9	VR213	Tube Assembly	1				
10	VR007	5/16-18 x 3/4 Screw	8				
11	VR206	Tube Assembly	1				
12	VR008	5/16-18 x 1 Screw	8				
13	5052-3	1.375 x .750 x .187 Washer	6				

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

HEAVY DUTY BLADE DRIVE COMPONENTS (GHS MODELS)



HEAVY DUTY BLADE DRIVE COMPONENTS (SD MODELS)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
DSD 36" HD Drive Components 7600-3				DSD 48" HD Drive Components 7609			
1	5746-5	36HD Gearbox Cover (Includes Item # 2)	1	1	7785-4	48HD Gearbox Cover (Includes Item # 2 & 3)	1
2	5747-14	Rubber Mat (3 x 6)	2	2	5747-14	Rubber Mat (3 x 6)	2
3	8790	Rubber Cushion Strip	1	3	8790	Rubber Cushion Strip	1
4	VR103	Gearbox Assembly**	1	4	VR119	Gearbox Assembly**	1
5	VR004	O-Ring/HD (Viton)	4	5	VR004	O-Ring/HD (Viton)	4
6	VR111	Gearbox Assembly**	1	6	VR111	Gearbox Assembly**	1
7	VR102	Gearbox Assembly**	1	7	VR102	Gearbox Assembly**	1
8	VR009	O-Ring Plug	4	8	VR009	O-Ring Plug	4
9	5052-3	1.375 x .750 x .187 Washer	6	9	5052-3	1.375 x .750 x .187 Washer	6
10	VR209	Tube Assembly	1	10	VR203	Tube Assembly	1
11	VR203	Tube Assembly	1	11	VR202	Tube Assembly	1
12	VR007	5/16-18 x 3/4 Screw	8	12	VR007	5/16-18 x 3/4 Screw	8
13	VR008	5/16-18 x 1 Screw	8	13	VR008	5/16-18 x 1 Screw	8
Fasteners				Fasteners			
	F039	3/8-16 x 1-1/4 Hex Bolt	4		F039	3/8-16 x 1-1/4 Hex Bolt	4
	F050	1/4 SAE Washer	4		F050	1/4 SAE Washer	4
	F246	1/4-20 x 1/2 PTHMS	4		F246	1/4-20 x 1/2 PTHMS	4
	F278	3/8 Split Lock Washer	4		F278	3/8 Split Lock Washer	4
DSD/DML 42" HD Drive Components 7600-6				DSD 56" SD HD Drive Components 7600-2			
1	5785-6	42HD Gearbox Cover (Includes Item # 2 & 3)	1	3	8790	Rubber Cushion Strip	1
2	5747-14	Rubber Mat (3 x 6)	2	5	VR004	O-Ring/HD (Viton)	6
3	8790	Rubber Cushion Strip	1	8	VR009	O-Ring Plug	4
4	VR103	Gearbox Assembly**	1	12	VR007	5/16-18 x 3/4 Screw	8
5	VR004	O-Ring/HD (Viton)	4	13	VR008	5/16-18 x 1 Screw	16
6	VR111	Gearbox Assembly**	1	14	6786-1	56HD Gearbox Cover (Includes Items # 3, 15 & 23)	1
7	VR102	Gearbox Assembly**	1	15	5747-10	Rubber Mat, No-Hole (3 x 6)	2
8	VR009	O-Ring Plug	4	16	VR115	Gearbox Assembly**	1
9	5052-3	1.375 x .750 x .187 Washer	6	17	VR106	Gearbox Assembly**	1
10	VR212	Tube Assembly	1	18	VR112	Gearbox Assembly**	1
11	VR206	Tube Assembly	1	19	VR104	Gearbox Assembly**	1
12	VR007	5/16-18 x 3/4 Screw	8	20	VR216	Tube Assembly	1
13	VR008	5/16-18 x 1 Screw	8	21	VR207	Tube Assembly	1
Fasteners				22	VR204	Tube Assembly	1
	F039	3/8-16 x 1-1/4 Hex Bolt	4	23	8788-1	Rubber Mat (1 x 2)	1
	F050	1/4 SAE Washer	4	Fasteners			
	F246	1/4-20 x 1/2 PTHMS	4		F039	3/8-16 x 1-1/4 Hex Bolt	6
	F278	3/8 Split Lock Washer	4		F050	1/4 SAE Washer	4
					F246	1/4-20 x 1/2 PTHMS	4
					F278	3/8 Split Lock Washer	6


* Service Part Only

** Includes connecting screws and O-Ring.

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

HEAVY DUTY BLADE DRIVE COMPONENTS (SD MODELS)



DECK WELDMENT REPLACEMENT PARTS

ITEM NO.	PART NO.	DESCRIPTION	LOCATION	NO. REQ'D
NOTE: All parts listed in this section are for Weld-On Repair; Cutting, Grinding, and Welding are required to replace these parts.				
DSD52 & DSD62 Weldments				
1	8733-3	Rim Rod, RH Rear (20-3/4)	DSD52	1
	8751-2	Rim Rod, RH Rear (28-3/8)	DSD62	1
2	8760-2	Rear Deck Pin (3/4 x 5-3/4)	DSD52, DSD62 & DSD74	2
3	8733-63	Rim Rod, LH Rear (28-3/4)	DSD52	1
	8751-3	Rim Rod, LH Rear (34-3/8)	DSD62	1
4	8733-5	Rim Rod, LH Front (22-7/8)	DSD52	1
	8751-4	Rim Rod, LH Front (28-5/16)	DSD62	1
5	8760-1	Front Deck Pin (3/4 x 7-5/8)	DSD52 & DSD62	2
6	8733-61	Rim Rod, Front Center (26-5/8)	DSD52	1
	8751-5	Rim Rod, Front Center (29-1/4)	DSD62	1
7	8733-10	Rim Rod, RH Front (16-1/4)	DSD52	1
	8751-6	Rim Rod, RH Front (19-1/4)	DSD62	1
DSD56 Weldments				
8	6752-1	Deck Cap Strip, 56SD Rear (33-5/16)	DSD56	1
9	5760-4	Rear Deck Pin (5/8 x 5-3/8)	All Decks Except DSD52, DSD62 & DSD74	2
10	6752-6	Deck Cap Strip, 56SD LH (39")	DSD56	1
11	5760-7	Front Deck Pin (5/8 x 5-3/4)	DSD56	2
12	6752-4	Deck Cap Strip, 56SD Front (42")	DSD56	2
DSD74 Weldments				
9	8760-2	Rear Deck Pin (3/4 x 5-3/4)	DSD52, DSD62 & DSD74	2
11	7865-18	Front Deck Pin (3/4 x 6-5/8)	DSD74	2
13	8751-7	Rim Rod, LH	DSD74	1
14	8751-8	Rim Rod, Front (13-1/2)	DSD74	1
DGHS Weldments				
9	5760-4	Rear Deck Pin (5/8 x 5-3/8)**	All Decks Except DSD52, DSD62 & DSD74	2
11	5760-3	Front Deck Pin (5/8 x 5-3/4)**	All Decks Except DSD52, DSD56, DSD62 & DSD74	2
15	5751-3	Deck Cap Strip, GHS LH (43-3/4)	DGHS36	1
	5751-1	Deck Cap Strip, GHS LH (49-3/8)	DGHS42	1
	7701-10	Edge Stiffener, Side (42-3/8)***	DGHS48	2
16	7701-11	Edge Stiffener, Front (21-7/8)***	DGHS48	1
17	5751-4	Deck Cap Strip, GHS RH (47-5/8)	DGHS36	1
	5751-2	Deck Cap Strip, GHS RH (49-3/8)	DGHS42	1
DSD & DML Weldments				
9	5760-4	Rear Deck Pin (5/8 x 5-3/8)**	All Decks Except DSD52, DSD62 & DSD74	2
11	5760-3	Front Deck Pin (5/8 x 5-3/4)**	All Decks Except DSD52, DSD56, DSD62 & DSD74	2
18	5702-6	Deck Cap Strip, (47")	DSD36	1
	5751-5	Deck Cap Strip, 42" SD LH (47")	DSD42	1
	5793-14	Rolled Edge, DML42 (37-3/8)	DML42	2
	5793-15	Straight Edge, DML42 (18-9/16)	DML42	2
19	5751-6	Deck Cap Strip, 42" SD Front (3-9/16)	DSD42	1

* Used only on models manufactured in 1992 and later.


** Used only on models manufactured in 1987 and later.

*** Used only on models with Serial Number D7-26482 and later.

Use only genuine **Walker®** replacement parts.

Effective Date 08-01-03

DECK WELDMENT REPLACEMENT PARTS



LUBRICATION POINTS

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
----------	----------	-------------	-----------

36", 42", 48" & 54" Assemblies

Item # 5 is used on GHS Models only. Item # 11 is used on SD Models only. For 54" Assemblies, Refer also to Item # 14 in

LUBRICATION POINTS for DSD52 & DSD62 Assemblies.

1	Deck Caster Wheel Fork Pivot	Grease	2
2	Blade Drive Gearbox	Oil*	2
3	Tee Gearbox, Deck	Oil*	1
4	Deck Caster Wheel Bearing	Grease	2
5	Discharge Shield Hinge	Oil	2
6	PTO Shaft Guard Hinge	Oil	1
7	Universal Joint Shaft Assembly	Grease**	1
8	Pivot Assembly, Tilt-Up Deck	Grease	4
9	Deck Support Arm Socket	Grease	2
10	Deck Roller Wheel	Oil	2
11	Discharge Chute Hinge	Oil	1

DSD52 & DSD62 Assemblies

1	Deck Caster Wheel Fork Pivot	Grease	2
4	Deck Caster Wheel Bearing	Grease	2
5	Discharge Shield Hinge	Oil	2
7	Universal Joint Shaft Assembly	Grease**	1
8	Pivot Assembly, Tilt-Up Deck	Grease	4
9	Deck Support Arm Socket	Grease	2
12	Idler Arm, 2-Hole	Grease	1
13	Blade Spindle	Grease	3
14	Anti-Scalp Roller	Oil	3
	(Used on 52", 54" and 62" Decks)		
15	Right Angle Gearbox	Oil***	1
16	Dolly Wheel Retract	Oil	3
	Lever and Linkage		
17	Dolly Wheel Pivot	Grease	1

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
----------	----------	-------------	-----------

DSD74 Assemblies

1	Deck Caster Wheel Fork Pivot	Grease	2
2	Blade Drive Gearbox	Oil*	2
3	Tee Gearbox, Deck	Oil*	1
4	Deck Caster Wheel Bearing	Grease	2
5	Discharge Shield Hinge	Oil	2
6	PTO Shaft Guard Hinge	Oil	1
7	Universal Joint Shaft Assembly	Grease**	1
8	Pivot Assembly, Tilt-Up Deck	Grease	4
9	Deck Support Arm Socket	Grease	2
18	Front Anti-Scrape Axle	Grease	2
19	Rear Deck Caster Wheel Axle	Grease	2


* Gearboxes are permanently lubricated and sealed requiring no scheduled lubrication. Oil level should be checked only when an oil leak is noted.

** Grease every eight (8) hours.

*** Check oil level every 100 hours. Refer to either MD or MT **OWNER'S MANUAL** for Lubrication Instructions.

NOTE: Exact location of some Lubrication Points may vary slightly from those shown in the illustration. Decks shown in the illustration are for reference only; for further information on location of parts not shown here, refer to the parts listings for individual Carrier Frames and Deck Assemblies.

LUBRICATION POINTS



FASTENER LOCTITE® APPLICATION & TORQUE INSTRUCTIONS

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
----------	----------	-------------	-----------

Heavy Duty Gear Drive Assemblies

Items # 1 & 2 apply to **all** Heavy Duty deck models **EXCEPT DSD52 and DSD62**.

- 1 Torque P/N VR009 (Plug, O-Ring used on Heavy Duty Gear Boxes to 125 in-lb (14.4 N·m). **DO NOT** apply Loctite®.
- 2 Apply Loctite® Threadlocker # 277 (Red) to P/N VR007, VR008 (Screw 3/4" Long, Screw 1" Long used on Heavy Duty Gearbox Connector Tubes). Torque to 300 in-lb (34.7 N·m).

DGHS, DML & DSD Deck Assemblies

Items # 3 & 4 apply to **all** deck models **EXCEPT DSD52 and DSD62**.

- 3 Apply Loctite® Threadlocker # 242 (Blue) to P/N F211 (1/4-20 x 7/8 Hex Bolt, used on Gearbox Connector Tubes) prior to assembly. Torque to 90 in-lb (10.2 N·m).
- 4 Torque P/N F018 (5/8-18 Hex Nut, used on underside of blades) to 60 ft-lb (81.4 N·m). **DO NOT** apply Loctite®.


ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
----------	----------	-------------	-----------

DSD52 & DSD62 Deck Assemblies

- 5 Apply Loctite® Threadlocker # 242 (Blue) to P/N F114 (5/16-18 x 5/8 SQH Set Screw, used on Drive Pulley) prior to assembly. Torque to 190 in-lb (21.5 N·m).
- 6 Apply Loctite® Threadlocker # 242 (Blue) to P/N F076 (3/8-16 x 5/8 SQH Set Screw, used on U-Joint Shaft Assy, T-Scope) prior to assembly. Torque to 400 in-lb (45.2 N·m).
- 7 Torque P/N F339 (5/16-18 x 3/4 Self-Tapping Bolt, used on Mount Bracket & PTO Guard) to 200 in-lb (22.6 N·m). **DO NOT** apply Loctite®.
- 8 Apply Loctite® Threadlocker # 242 (Blue) to P/N F226 (5/16-18 x 7/8 Hex Bolt, used on Right Angle Gearbox) prior to assembly. Torque to 18 ft-lb (24.4 N·m).

NOTE: Models DGHS48 and DSD52 are shown here. Refer to individual deck assemblies for exact locations and quantities of items listed above.

FASTENER LOCTITE® APPLICATION & TORQUE INSTRUCTIONS



MAINTENANCE AND SERVICE RECORD SHEET

[illegible]

DECK / TRACTOR COMPATIBILITY CHART

	MS SD	MS GHS	MC SD	MC GHS	MT SD	MT GHS	MTEFI SD	MTEFI GHS	MTL SD	MTL GHS	MD SD	MD GHS
DGHS36		X		X		X		X		X		X
DSD36	X	*	X	*	X	*	X	*	X	*	X	*
DGHS42		X		X		X		X		X		X
DSD42	X	*	X	*	X	*	X	*	X	*	X	*
DML42	X	X	X	*	X	*	X	*	X	*	X	*
DGHS48				X		X		X		X		X
DSD48			X	*	X	*	X	*	X	*	X	*
DSD52					X	*	X	*	X	*	X	*
DSD56			X	*	X	*	X	*	X	*	X	*
DSD62					X	*	X	*	X	*	X	*
DSD74					**	* **	X	X	X	X	X	*

X Deck and tractor are fully compatible.

* When using this deck on GHS tractors, installation of P/N 6541 (Blower Lockout Kit) is recommended. Contact your Walker dealer.

****** Using the DSD74 Deck with Model MT-20 is not recommended in all conditions. In certain conditions (tall, wet grass), the performance of the deck may be marginal due to a limit of horsepower with the 20-hp engine.

LIMITED WARRANTY FOR WALKER COMMERCIAL RIDER MOWER

1. WHAT THIS WARRANTY COVERS, AND FOR HOW LONG:

Walker Manufacturing company will, at its option, repair or replace, without charge, any part covered by this warranty which is found to be defective in material and/or workmanship within one (1) year* after date of sale to the original retail purchaser unless the product is used for rental purposes, in which case this warranty is limited to ninety (90) days. At Walker's request, customer will make the defective part available for inspection by Walker and/or return the defective part to Walker, transportation charges prepaid. All parts and components of the Walker Mower are covered by this warranty **except** the following components which are warranted separately by their respective manufacturers:

Kohler Engine
Kubota Engine
Kawasaki Engine
Eaton Hydraulic Transmission
Peerless Gearboxes
Battery
Tires

The available warranties covering these items are furnished with each mower. Walker does not assume any warranty obligation, liability or modification for these items, which are covered exclusively by the stated warranty of the respective manufacturers noted above.

* An extended three (3) year warranty is offered on the Walker P/N 6200-8 Gear Axle Assembly.

2. WHAT THIS WARRANTY DOES NOT COVER:


- A. This warranty does not cover defects caused by depreciation or damage caused by normal wear, accidents, improper maintenance, improper use or abuse of the product, alterations, or failure to follow the instructions contained in the Owner's Manual for operation and maintenance.
- B. The customer shall pay any charges for making service calls and/or for transporting the mower to and from the place where the inspection and/or warranty work is performed.

3. HOW TO OBTAIN SERVICE UNDER THIS WARRANTY:

Warranty service can be arranged by contacting the dealer where you purchased the mower or by contacting Walker Manufacturing Company, 5925 East Harmony Road, Ft. Collins, CO 80528. Proof of the date of purchase may be required to verify warranty coverage.

4. WARRANTY LIMITATION:

- A. **THERE IS NO OTHER EXPRESS WARRANTY. ANY WARRANTY THAT MAY BE IMPLIED FROM THIS PURCHASE INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IS HEREBY LIMITED TO THE DURATION OF THIS WARRANTY AND TO THE EXTENT PERMITTED BY LAW ANY AND ALL IMPLIED WARRANTIES ARE EXCLUDED.** Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.
- B. **WALKER WILL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES AND/OR EXPENSES IN CONNECTION WITH THE PURCHASE OR USE OF THE MOWER.** Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation(s) or exclusion(s) may not apply to you.
- C. Only the warranty expressed in this limited warranty shall apply and no dealer, distributor, or individual is authorized to amend, modify, or extend this warranty in any way. Accordingly, additional statements such as dealer advertising or presentations, whether oral or written, do not constitute warranties by Walker, and should not be relied upon.
- D. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



WALKER MFG. CO. • 5925 E. HARMONY ROAD, FORT COLLINS, CO 80528 • (970) 221-5614
FORM NO. 040903 PRINTED IN USA www.walkermowers.com ©2003 WALKER MFG. CO